

LinksPlatform's Platform.Data Class Library

1.1 ./csharp/Platform.Data/Exceptions/ArgumentLinkDoesNotExistsException.cs

```
1 using System;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Exceptions
7 {
8     /// <summary>
9     /// <para>
10    /// Represents the argument link does not exists exception.
11    /// </para>
12    /// <para></para>
13    /// </summary>
14    /// <seealso cref="ArgumentException"/>
15    public class ArgumentLinkDoesNotExistsException<TLinkAddress> : ArgumentException
16    {
17        /// <summary>
18        /// <para>
19        /// Initializes a new <see cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>
20        /// instance.
21        /// </para>
22        /// <para>
23        /// Инициализирует новый экземпляр класса <see
24        /// cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>.
25        /// </para>
26        /// <para></para>
27        /// </summary>
28        /// <param name="link">
29        /// <para>A link.</para>
30        /// <para>Связь.</para>
31        /// </param>
32        /// <param name="argumentName">
33        /// <para>A argument name.</para>
34        /// <para>Имя аргумента.</para>
35        /// </param>
36        [MethodImpl(MethodImplOptions.AggressiveInlining)]
37        public ArgumentLinkDoesNotExistsException(TLinkAddress link, string argumentName) :
38            base(FormatMessage(link, argumentName), argumentName) { }
39
40        /// <summary>
41        /// <para>
42        /// Initializes a new <see cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>
43        /// instance.
44        /// </para>
45        /// <para>
46        /// Инициализирует новый экземпляр класса <see
47        /// cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>.
48        /// </para>
49        /// <para></para>
50        /// </summary>
51        /// <param name="link">
52        /// <para>A link.</para>
53        /// <para>Связь.</para>
54        /// </param>
55        [MethodImpl(MethodImplOptions.AggressiveInlining)]
56        public ArgumentLinkDoesNotExistsException(TLinkAddress link) : base(FormatMessage(link))
57            => { }
58
59        /// <summary>
60        /// <para>
61        /// Initializes a new <see cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>
62        /// instance.
63        /// </para>
64        /// <para>
65        /// Инициализирует новый экземпляр класса <see
66        /// cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>.
67        /// </para>
68        /// </summary>
69        /// <param name="message">
70        /// <para>A message.</para>
71        /// <para>Сообщение.</para>
72        /// </param>
73        /// <param name="innerException">
74        /// <para>A inner exception.</para>
75        /// <para>Внутренняя ошибка.</para>
76        /// </param>
77    }
```

```

68     /// </param>
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     public ArgumentLinkDoesNotExistsException(string message, Exception innerException) :
71         → base(message, innerException) { }
72
73     /// <summary>
74     /// <para>
75     /// Initializes a new <see cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>
76     → instance.
77     /// </para>
78     /// <para>
79     /// Инициализирует новый экземпляр класса <see
80     → cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>.
81     /// </para>
82     /// </summary>
83     /// <param name="message">
84     /// <para>A message.</para>
85     /// <para>Сообщение.</para>
86     /// </param>
87     [MethodImpl(MethodImplOptions.AggressiveInlining)]
88     public ArgumentLinkDoesNotExistsException(string message) : base(message) { }
89
90     /// <summary>
91     /// <para>
92     /// Initializes a new <see cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>
93     → instance.
94     /// </para>
95     /// <para>
96     /// Инициализирует новый экземпляр класса <see
97     → cref="ArgumentLinkDoesNotExistsException{TLinkAddress}"/>.
98     /// </para>
99     /// </summary>
100    [MethodImpl(MethodImplOptions.AggressiveInlining)]
101    public ArgumentLinkDoesNotExistsException() { }
102    [MethodImpl(MethodImplOptions.AggressiveInlining)]
103    private static string FormatMessage(TLinkAddress link, string argumentName) => $"Связь
104    → [{link}] переданная в аргумент [{argumentName}] не существует.";
105    [MethodImpl(MethodImplOptions.AggressiveInlining)]
106    private static string FormatMessage(TLinkAddress link) => $"Связь [{link}] переданная в
107    → качестве аргумента не существует.";
108    }
109 }

```

1.2 ./csharp/Platform.Data/Exceptions/ArgumentLinkHasDependenciesException.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Exceptions
7  {
8      /// <summary>
9      /// <para>
10     /// Represents the argument link has dependencies exception.
11     /// </para>
12     /// <para></para>
13     /// </summary>
14     /// <seealso cref="ArgumentException"/>
15     public class ArgumentLinkHasDependenciesException<TLinkAddress> : ArgumentException
16     {
17         /// <summary>
18         /// <para>
19         /// Initializes a new <see cref="ArgumentLinkHasDependenciesException{TLinkAddress}"/>
20         → instance.
21         /// </para>
22         /// <para></para>
23         /// </summary>
24         /// <param name="link">
25         /// <para>A link.</para>
26         /// <para>Связь.</para>
27         /// </param>
28         /// <param name="paramName">
29         /// <para>A param name.</para>
30         /// <para>Имя параметра.</para>
31         /// </param>
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public ArgumentLinkHasDependenciesException(TLinkAddress link, string paramName) :
34             → base(FormatMessage(link, paramName), paramName) { }

```

```

33
34     /// <summary>
35     /// <para>
36     /// Initializes a new <see cref="ArgumentLinkHasDependenciesException{TLinkAddress}"/>
37     → instance.
38     /// </para>
39     /// <para></para>
40     /// </summary>
41     /// <param name="link">
42     /// <para>A link.</para>
43     /// </para>
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     public ArgumentLinkHasDependenciesException(TLinkAddress link) :
46     → base(FormatMessage(link)) { }
47
48     /// <summary>
49     /// <para>
50     /// Initializes a new <see cref="ArgumentLinkHasDependenciesException{TLinkAddress}"/>
51     → instance.
52     /// </para>
53     /// <para></para>
54     /// </summary>
55     /// <param name="message">
56     /// <para>A message.</para>
57     /// </para>
58     /// <param name="innerException">
59     /// <para>A inner exception.</para>
60     /// </para>
61     [MethodImpl(MethodImplOptions.AggressiveInlining)]
62     public ArgumentLinkHasDependenciesException(string message, Exception innerException) :
63     → base(message, innerException) { }
64
65     /// <summary>
66     /// <para>
67     /// Initializes a new <see cref="ArgumentLinkHasDependenciesException{TLinkAddress}"/>
68     → instance.
69     /// </para>
70     /// <para></para>
71     /// </summary>
72     /// <param name="message">
73     /// <para>A message.</para>
74     /// </para>
75     [MethodImpl(MethodImplOptions.AggressiveInlining)]
76     public ArgumentLinkHasDependenciesException(string message) : base(message) { }
77
78     /// <summary>
79     /// <para>
80     /// Initializes a new <see cref="ArgumentLinkHasDependenciesException{TLinkAddress}"/>
81     → instance.
82     /// </para>
83     /// <para></para>
84     /// </summary>
85     [MethodImpl(MethodImplOptions.AggressiveInlining)]
86     public ArgumentLinkHasDependenciesException() { }
87     [MethodImpl(MethodImplOptions.AggressiveInlining)]
88     private static string FormatMessage(TLinkAddress link, string paramName) => $"У связи
89     → [{link}] переданной в аргумент [{paramName}] присутствуют зависимости, которые
90     → препятствуют изменению её внутренней структуры.";
91     [MethodImpl(MethodImplOptions.AggressiveInlining)]
92     private static string FormatMessage(TLinkAddress link) => $"У связи [{link}] переданной
93     → в качестве аргумента присутствуют зависимости, которые препятствуют изменению её
94     → внутренней структуры.";
95 }
96 }

```

1.3 ./csharp/Platform.Data/Exceptions/LinkWithSameValueAlreadyExistsException.cs

```

1 using System;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Exceptions
7 {
8     /// <summary>

```

```

9     /// <para>
10    /// Represents the link with same value already exists exception.
11    /// </para>
12    /// <para></para>
13    /// </summary>
14    /// <seealso cref="Exception"/>
15    public class LinkWithSameValueAlreadyExistsException : Exception
16    {
17        /// <summary>
18        /// <para>
19        /// The default message.
20        /// </para>
21        /// <para></para>
22        /// </summary>
23        public static readonly string DefaultMessage = "Связь с таким же значением уже
24        → существует.";
25
26        /// <summary>
27        /// <para>
28        /// Initializes a new <see cref="LinkWithSameValueAlreadyExistsException"/> instance.
29        /// </para>
30        /// <para></para>
31        /// </summary>
32        /// <param name="message">
33        /// <para>A message.</para>
34        /// <para></para>
35        /// </param>
36        /// <param name="innerException">
37        /// <para>A inner exception.</para>
38        /// <para></para>
39        /// </param>
40        [MethodImpl(MethodImplOptions.AggressiveInlining)]
41        public LinkWithSameValueAlreadyExistsException(string message, Exception innerException)
42        → : base(message, innerException) { }
43
44        /// <summary>
45        /// <para>
46        /// Initializes a new <see cref="LinkWithSameValueAlreadyExistsException"/> instance.
47        /// </para>
48        /// <para></para>
49        /// </summary>
50        /// <param name="message">
51        /// <para>A message.</para>
52        /// <para></para>
53        /// </param>
54        [MethodImpl(MethodImplOptions.AggressiveInlining)]
55        public LinkWithSameValueAlreadyExistsException(string message) : base(message) { }
56
57        /// <summary>
58        /// <para>
59        /// Initializes a new <see cref="LinkWithSameValueAlreadyExistsException"/> instance.
60        /// </para>
61        /// <para></para>
62        /// </summary>
63        [MethodImpl(MethodImplOptions.AggressiveInlining)]
64        public LinkWithSameValueAlreadyExistsException() : base(DefaultMessage) { }
65    }
66 }

```

1.4 ./csharp/Platform.Data/Exceptions/LinksLimitReachedException.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Exceptions
7  {
8      /// <summary>
9      /// <para>
10     /// Represents the links limit reached exception.
11     /// </para>
12     /// <para></para>
13     /// </summary>
14     /// <seealso cref="LinksLimitReachedExceptionBase"/>
15     public class LinksLimitReachedException<TLinkAddress> : LinksLimitReachedExceptionBase
16     {
17         /// <summary>
18         /// <para>
19         /// Initializes a new <see cref="LinksLimitReachedException{TLinkAddress}"/> instance.

```

```

20     /// </para>
21     /// <para></para>
22     /// </summary>
23     /// <param name="limit">
24     /// <para>A limit.</para>
25     /// <para></para>
26     /// </param>
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     public LinksLimitReachedException(TLinkAddress limit) : this(FormatMessage(limit)) { }
29
30     /// <summary>
31     /// <para>
32     /// Initializes a new <see cref="LinksLimitReachedException{TLinkAddress}"/> instance.
33     /// </para>
34     /// <para></para>
35     /// </summary>
36     /// <param name="message">
37     /// <para>A message.</para>
38     /// <para></para>
39     /// </param>
40     /// <param name="innerException">
41     /// <para>A inner exception.</para>
42     /// <para></para>
43     /// </param>
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     public LinksLimitReachedException(string message, Exception innerException) :
46     → base(message, innerException) { }
47
48     /// <summary>
49     /// <para>
50     /// Initializes a new <see cref="LinksLimitReachedException{TLinkAddress}"/> instance.
51     /// </para>
52     /// <para></para>
53     /// </summary>
54     /// <param name="message">
55     /// <para>A message.</para>
56     /// <para></para>
57     /// </param>
58     [MethodImpl(MethodImplOptions.AggressiveInlining)]
59     public LinksLimitReachedException(string message) : base(message) { }
60
61     /// <summary>
62     /// <para>
63     /// Initializes a new <see cref="LinksLimitReachedException{TLinkAddress}"/> instance.
64     /// </para>
65     /// <para></para>
66     /// </summary>
67     [MethodImpl(MethodImplOptions.AggressiveInlining)]
68     public LinksLimitReachedException() : base(DefaultMessage) { }
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     private static string FormatMessage(TLinkAddress limit) => $"Достигнут лимит количества
71     → связей в хранилище ({limit}).";
72 }
73 }

```

1.5 ./csharp/Platform.Data/Exceptions/LinksLimitReachedExceptionBase.cs

```

1 using System;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Exceptions
7 {
8     /// <summary>
9     /// <para>
10    /// Represents the links limit reached exception base.
11    /// </para>
12    /// <para></para>
13    /// </summary>
14    /// <seealso cref="Exception"/>
15    public abstract class LinksLimitReachedExceptionBase : Exception
16    {
17        /// <summary>
18        /// <para>
19        /// The default message.
20        /// </para>
21        /// <para></para>
22        /// </summary>

```

```

23     public static readonly string DefaultMessage = "Достигнут лимит количества связей в
    → хранилище.";
24
25     /// <summary>
26     /// <para>
27     /// Initializes a new <see cref="LinksLimitReachedExceptionBase"/> instance.
28     /// </para>
29     /// <para></para>
30     /// </summary>
31     /// <param name="message">
32     /// <para>A message.</para>
33     /// <para></para>
34     /// </param>
35     /// <param name="innerException">
36     /// <para>A inner exception.</para>
37     /// <para></para>
38     /// </param>
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected LinksLimitReachedExceptionBase(string message, Exception innerException) :
    → base(message, innerException) { }
41
42     /// <summary>
43     /// <para>
44     /// Initializes a new <see cref="LinksLimitReachedExceptionBase"/> instance.
45     /// </para>
46     /// <para></para>
47     /// </summary>
48     /// <param name="message">
49     /// <para>A message.</para>
50     /// <para></para>
51     /// </param>
52     [MethodImpl(MethodImplOptions.AggressiveInlining)]
53     protected LinksLimitReachedExceptionBase(string message) : base(message) { }
54 }
55 }

```

1.6 ./csharp/Platform.Data/Hybrid.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Exceptions;
5  using Platform.Reflection;
6  using Platform.Converters;
7  using Platform.Numbers;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data
12 {
13     /// <summary>
14     /// <para>
15     /// The hybrid.
16     /// </para>
17     /// <para></para>
18     /// </summary>
19     public struct Hybrid<TLinkAddress> : IEquatable<Hybrid<TLinkAddress>>
20     {
21         private static readonly EqualityComparer<TLinkAddress> _equalityComparer =
    → EqualityComparer<TLinkAddress>.Default;
22         private static readonly UncheckedSignExtendingConverter<TLinkAddress, long>
    → _addressToInt64Converter = UncheckedSignExtendingConverter<TLinkAddress,
    → long>.Default;
23         private static readonly UncheckedConverter<long, TLinkAddress> _int64ToAddressConverter
    → = UncheckedConverter<long, TLinkAddress>.Default;
24         private static readonly UncheckedConverter<TLinkAddress, ulong>
    → _addressToUInt64Converter = UncheckedConverter<TLinkAddress, ulong>.Default;
25         private static readonly UncheckedConverter<ulong, TLinkAddress>
    → _uInt64ToAddressConverter = UncheckedConverter<ulong, TLinkAddress>.Default;
26         private static readonly UncheckedConverter<object, long> _objectToInt64Converter =
    → UncheckedConverter<object, long>.Default;
27
28         /// <summary>
29         /// <para>
30         /// The max value.
31         /// </para>
32         /// <para></para>
33         /// </summary>
34         public static readonly ulong HalfOfNumberValuesRange =
    → _addressToUInt64Converter.Convert(NumericType<TLinkAddress>.MaxValue) / 2;

```

```

35     /// <summary>
36     /// <para>
37     /// The half of number values range.
38     /// </para>
39     /// <para></para>
40     /// </summary>
41     public static readonly TLinkAddress ExternalZero =
42     ↪     _uInt64ToAddressConverter.Convert(HalfOfNumberValuesRange + 1UL);
43
44     /// <summary>
45     /// <para>
46     /// The value.
47     /// </para>
48     /// <para></para>
49     /// </summary>
50     public readonly TLinkAddress Value;
51
52     /// <summary>
53     /// <para>
54     /// Gets the is nothing value.
55     /// </para>
56     /// <para></para>
57     /// </summary>
58     public bool IsNothing
59     {
60         [MethodImpl(MethodImplOptions.AggressiveInlining)]
61         get => _equalityComparer.Equals(Value, ExternalZero) || SignedValue == 0;
62     }
63
64     /// <summary>
65     /// <para>
66     /// Gets the is internal value.
67     /// </para>
68     /// <para></para>
69     /// </summary>
70     public bool IsInternal
71     {
72         [MethodImpl(MethodImplOptions.AggressiveInlining)]
73         get => SignedValue > 0;
74     }
75
76     /// <summary>
77     /// <para>
78     /// Gets the is external value.
79     /// </para>
80     /// <para></para>
81     /// </summary>
82     public bool IsExternal
83     {
84         [MethodImpl(MethodImplOptions.AggressiveInlining)]
85         get => _equalityComparer.Equals(Value, ExternalZero) || SignedValue < 0;
86     }
87
88     /// <summary>
89     /// <para>
90     /// Gets the signed value value.
91     /// </para>
92     /// <para></para>
93     /// </summary>
94     public long SignedValue
95     {
96         [MethodImpl(MethodImplOptions.AggressiveInlining)]
97         get => _addressToInt64Converter.Convert(Value);
98     }
99
100     /// <summary>
101     /// <para>
102     /// Gets the absolute value value.
103     /// </para>
104     /// <para></para>
105     /// </summary>
106     public long AbsoluteValue
107     {
108         [MethodImpl(MethodImplOptions.AggressiveInlining)]
109         get => _equalityComparer.Equals(Value, ExternalZero) ? 0 :
110         ↪     Platform.Numbers.Math.Abs(SignedValue);
111     }
112
113     /// <summary>

```

```

112     /// <para>
113     /// Initializes a new <see cref="Hybrid{TLinkAddress}"/> instance.
114     /// </para>
115     /// <para></para>
116     /// </summary>
117     /// <param name="value">
118     /// <para>A value.</para>
119     /// <para></para>
120     /// </param>
121     [MethodImpl(MethodImplOptions.AggressiveInlining)]
122     public Hybrid(TLinkAddress value)
123     {
124         Ensure.OnDebug.IsUnsignedInteger<TLinkAddress>();
125         Value = value;
126     }
127
128     /// <summary>
129     /// <para>
130     /// Initializes a new <see cref="Hybrid{TLinkAddress}"/> instance.
131     /// </para>
132     /// <para></para>
133     /// </summary>
134     /// <param name="value">
135     /// <para>A value.</para>
136     /// <para></para>
137     /// </param>
138     /// <param name="isExternal">
139     /// <para>A is external.</para>
140     /// <para></para>
141     /// </param>
142     [MethodImpl(MethodImplOptions.AggressiveInlining)]
143     public Hybrid(TLinkAddress value, bool isExternal)
144     {
145         if (_equalityComparer.Equals(value, default) && isExternal)
146         {
147             Value = ExternalZero;
148         }
149         else
150         {
151             if (isExternal)
152             {
153                 Value = Math<TLinkAddress>.Negate(value);
154             }
155             else
156             {
157                 Value = value;
158             }
159         }
160     }
161
162     /// <summary>
163     /// <para>
164     /// Initializes a new <see cref="Hybrid{TLinkAddress}"/> instance.
165     /// </para>
166     /// <para></para>
167     /// </summary>
168     /// <param name="value">
169     /// <para>A value.</para>
170     /// <para></para>
171     /// </param>
172     [MethodImpl(MethodImplOptions.AggressiveInlining)]
173     public Hybrid(object value) => Value =
174     ↪ _int64ToAddressConverter.Convert(_objectToInt64Converter.Convert(value));
175
176     /// <summary>
177     /// <para>
178     /// Initializes a new <see cref="Hybrid{TLinkAddress}"/> instance.
179     /// </para>
180     /// <para></para>
181     /// </summary>
182     /// <param name="value">
183     /// <para>A value.</para>
184     /// <para></para>
185     /// </param>
186     /// <param name="isExternal">
187     /// <para>A is external.</para>
188     /// <para></para>
189     /// </param>

```



```

189 [MethodImpl(MethodImplOptions.AggressiveInlining)]
190 public Hybrid(object value, bool isExternal)
191 {
192     var signedValue = value == null ? 0 : _objectToInt64Converter.Convert(value);
193     if (signedValue == 0 && isExternal)
194     {
195         Value = ExternalZero;
196     }
197     else
198     {
199         var absoluteValue = System.Math.Abs(signedValue);
200         Value = isExternal ? _int64ToAddressConverter.Convert(-absoluteValue) :
                ↪ _int64ToAddressConverter.Convert(absoluteValue);
201     }
202 }
203
204 [MethodImpl(MethodImplOptions.AggressiveInlining)]
205 public static implicit operator Hybrid<TLinkAddress>(TLinkAddress integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
206
207 [MethodImpl(MethodImplOptions.AggressiveInlining)]
208 public static explicit operator Hybrid<TLinkAddress>(ulong integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
209
210 [MethodImpl(MethodImplOptions.AggressiveInlining)]
211 public static explicit operator Hybrid<TLinkAddress>(long integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
212
213 [MethodImpl(MethodImplOptions.AggressiveInlining)]
214 public static explicit operator Hybrid<TLinkAddress>(uint integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
215
216 [MethodImpl(MethodImplOptions.AggressiveInlining)]
217 public static explicit operator Hybrid<TLinkAddress>(int integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
218
219 [MethodImpl(MethodImplOptions.AggressiveInlining)]
220 public static explicit operator Hybrid<TLinkAddress>(ushort integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
221
222 [MethodImpl(MethodImplOptions.AggressiveInlining)]
223 public static explicit operator Hybrid<TLinkAddress>(short integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
224
225 [MethodImpl(MethodImplOptions.AggressiveInlining)]
226 public static explicit operator Hybrid<TLinkAddress>(byte integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
227
228 [MethodImpl(MethodImplOptions.AggressiveInlining)]
229 public static explicit operator Hybrid<TLinkAddress>(sbyte integer) => new
    ↪ Hybrid<TLinkAddress>(integer);
230
231 [MethodImpl(MethodImplOptions.AggressiveInlining)]
232 public static implicit operator TLinkAddress(Hybrid<TLinkAddress> hybrid) =>
    ↪ hybrid.Value;
233
234 [MethodImpl(MethodImplOptions.AggressiveInlining)]
235 public static explicit operator ulong(Hybrid<TLinkAddress> hybrid) =>
    ↪ CheckedConverter<TLinkAddress, ulong>.Default.Convert(hybrid.Value);
236
237 [MethodImpl(MethodImplOptions.AggressiveInlining)]
238 public static explicit operator long(Hybrid<TLinkAddress> hybrid) =>
    ↪ hybrid.AbsoluteValue;
239
240 [MethodImpl(MethodImplOptions.AggressiveInlining)]
241 public static explicit operator uint(Hybrid<TLinkAddress> hybrid) =>
    ↪ CheckedConverter<TLinkAddress, uint>.Default.Convert(hybrid.Value);
242
243 [MethodImpl(MethodImplOptions.AggressiveInlining)]
244 public static explicit operator int(Hybrid<TLinkAddress> hybrid) =>
    ↪ (int)hybrid.AbsoluteValue;
245
246 [MethodImpl(MethodImplOptions.AggressiveInlining)]
247 public static explicit operator ushort(Hybrid<TLinkAddress> hybrid) =>
    ↪ CheckedConverter<TLinkAddress, ushort>.Default.Convert(hybrid.Value);
248
249 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

250 public static explicit operator short(Hybrid<TLinkAddress> hybrid) =>
    ↪ (short)hybrid.AbsoluteValue;
251
252 [MethodImpl(MethodImplOptions.AggressiveInlining)]
253 public static explicit operator byte(Hybrid<TLinkAddress> hybrid) =>
    ↪ CheckedConverter<TLinkAddress, byte>.Default.Convert(hybrid.Value);
254
255 [MethodImpl(MethodImplOptions.AggressiveInlining)]
256 public static explicit operator sbyte(Hybrid<TLinkAddress> hybrid) =>
    ↪ (sbyte)hybrid.AbsoluteValue;
257
258 /// <summary>
259 /// <para>
260 /// Returns the string.
261 /// </para>
262 /// <para></para>
263 /// </summary>
264 /// <returns>
265 /// <para>The string</para>
266 /// <para></para>
267 /// </returns>
268 [MethodImpl(MethodImplOptions.AggressiveInlining)]
269 public override string ToString() => IsExternal ? $"{AbsoluteValue}" :
    ↪ Value.ToString();
270
271 /// <summary>
272 /// <para>
273 /// Determines whether this instance equals.
274 /// </para>
275 /// <para></para>
276 /// </summary>
277 /// <param name="other">
278 /// <para>The other.</para>
279 /// <para></para>
280 /// </param>
281 /// <returns>
282 /// <para>The bool</para>
283 /// <para></para>
284 /// </returns>
285 [MethodImpl(MethodImplOptions.AggressiveInlining)]
286 public bool Equals(Hybrid<TLinkAddress> other) => _equalityComparer.Equals(Value,
    ↪ other.Value);
287
288 /// <summary>
289 /// <para>
290 /// Determines whether this instance equals.
291 /// </para>
292 /// <para></para>
293 /// </summary>
294 /// <param name="obj">
295 /// <para>The obj.</para>
296 /// <para></para>
297 /// </param>
298 /// <returns>
299 /// <para>The bool</para>
300 /// <para></para>
301 /// </returns>
302 [MethodImpl(MethodImplOptions.AggressiveInlining)]
303 public override bool Equals(object obj) => obj is Hybrid<TLinkAddress> hybrid ?
    ↪ Equals(hybrid) : false;
304
305 /// <summary>
306 /// <para>
307 /// Gets the hash code.
308 /// </para>
309 /// <para></para>
310 /// </summary>
311 /// <returns>
312 /// <para>The int</para>
313 /// <para></para>
314 /// </returns>
315 [MethodImpl(MethodImplOptions.AggressiveInlining)]
316 public override int GetHashCode() => Value.GetHashCode();
317
318 [MethodImpl(MethodImplOptions.AggressiveInlining)]
319 public static bool operator ==(Hybrid<TLinkAddress> left, Hybrid<TLinkAddress> right) =>
    ↪ left.Equals(right);
320

```

```

321     [MethodImpl(MethodImplOptions.AggressiveInlining)]
322     public static bool operator !=(Hybrid<TLinkAddress> left, Hybrid<TLinkAddress> right) =>
        → !(left == right);
323 }
324 }

```

1.7 ./csharp/Platform.Data/ILinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Delegates;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data
9  {
10     /// <summary>
11     /// <para>Represents an interface for manipulating data in the Links (links storage)
12     → format.</para>
13     /// <para>Представляет интерфейс для манипуляции с данными в формате Links (хранилища
14     → связей).</para>
15     /// </summary>
16     /// <remarks>
17     /// <para>This interface is independent of the size of the content of the link, meaning it
18     → is suitable for both doublets, triplets, and link sequences of any size.</para>
19     /// <para>Этот интерфейс не зависит от размера содержимого связи, а значит подходит как для
20     → дуплетов, триплетов и последовательностей связей любого размера.</para>
21     /// </remarks>
22     public interface ILinks<TLinkAddress, TConstants>
23     where TConstants : LinksConstants<TLinkAddress>
24     {
25         #region Constants
26
27         /// <summary>
28         /// <para>Returns the set of constants that is necessary for effective communication
29         → with the methods of this interface.</para>
30         /// <para>Возвращает набор констант, который необходим для эффективной коммуникации с
31         → методами этого интерфейса.</para>
32         /// </summary>
33         /// <remarks>
34         /// <para>These constants are not changed since the creation of the links storage access
35         → point.</para>
36         /// <para>Эти константы не меняются с момента создания точки доступа к хранилищу
37         → связей.</para>
38         /// </remarks>
39         TConstants Constants
40         {
41             [MethodImpl(MethodImplOptions.AggressiveInlining)]
42             get;
43         }
44
45         #endregion
46
47         #region Read
48
49         /// <summary>
50         /// <para>Counts and returns the total number of links in the storage that meet the
51         → specified restriction.</para>
52         /// <para>Подсчитывает и возвращает общее число связей находящихся в хранилище,
53         → соответствующих указанному ограничению.</para>
54         /// </summary>
55         /// <param name="restriction"><para>Restriction on the contents of
56         → links.</para><para>Ограничение на содержимое связей.</para></param>
57         /// <returns><para>The total number of links in the storage that meet the specified
58         → restriction.</para><para>Общее число связей находящихся в хранилище, соответствующих
59         → указанному ограничению.</para></returns>
60         [MethodImpl(MethodImplOptions.AggressiveInlining)]
61         TLinkAddress Count(ICollection<TLinkAddress>? restriction);
62
63         /// <summary>
64         /// <para>Passes through all the links matching the pattern, invoking a handler for each
65         → matching link.</para>
66         /// <para>Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
67         → (handler) для каждой подходящей связи.</para>
68         /// </summary>
69         /// <param name="restriction">

```

```

55  /// <para>Restriction on the contents of links. Each constraint can have values:
    ↳ Constants.Null - the 0th link denoting a reference to the void, Any - the absence of
    ↳ a constraint, 1..∞ a specific link index.</para>
56  /// <para>Ограничение на содержимое связей. Каждое ограничение может иметь значения:
    ↳ Constants.Null - 0-я связь, обозначающая ссылку на пустоту, Any - отсутствие
    ↳ ограничения, 1..∞ конкретный индекс связи.</para>
57  /// </param>
58  /// <param name="handler"><para>A handler for each matching link.</para><para>Обработчик
    ↳ для каждой подходящей связи.</para></param>
59  /// <returns><para>Constants.Continue, if the pass through the links was not
    ↳ interrupted, and Constants.Break otherwise.</para><para>Constants.Continue, в случае
    ↳ если проход по связям не был прерван и Constants.Break в обратном
    ↳ случае.</para></returns>
60  [MethodImpl(MethodImplOptions.AggressiveInlining)]
61  TLinkAddress Each(IList<TLinkAddress>? restriction, ReadHandler<TLinkAddress>? handler);
62
63  #endregion
64
65  #region Write
66
67  /// <summary>
68  /// <para>Creates a link.</para>
69  /// <para>Создаёт связь.</para>
70  /// <param name="substitution">
71  /// <para>The content of a new link. This argument is optional, if the null passed as
    ↳ value that means no content of a link is set.</para>
72  /// <para>Содержимое новой связи. Этот аргумент опционален, если null передан в качестве
    ↳ значения это означает, что никакого содержимого для связи не установлено.</para>
73  /// </param>
74  /// <param name="handler">
75  /// <para>A function to handle each executed change. This function can use
    ↳ Constants.Continue to continue process each change. Constants.Break can be used to
    ↳ stop receiving of executed changes.</para>
76  /// <para>Функция для обработки каждого выполненного изменения. Эта функция может
    ↳ использовать Constants.Continue чтобы продолжить обрабатывать каждое изменение.
    ↳ Constants.Break может быть использована для остановки получения выполненных
    ↳ изменений.</para>
77  /// </param>
78  /// </summary>
79  /// <returns>
80  /// <para>
81  /// Constants.Continue if all executed changes are handled.
82  /// Constants.Break if processing of handled changes is stoped.
83  /// </para>
84  /// <para>
85  /// Constants.Continue если все выполненные изменения обработаны.
86  /// Constants.Break если обработка выполненных изменений остановлена.
87  /// </para>
88  /// </returns>
89  [MethodImpl(MethodImplOptions.AggressiveInlining)]
90  TLinkAddress Create(IList<TLinkAddress>? substitution, WriteHandler<TLinkAddress>?
    ↳ handler);
91
92  /// <summary>
93  /// Обновляет связь с указанными restriction[Constants.IndexPart] в адресом связи
94  /// на связь с указанным новым содержимым.
95  /// </summary>
96  /// <param name="restriction">
97  /// Ограничение на содержимое связей.
98  /// Предполагается, что будет указан индекс связи (в restriction[Constants.IndexPart]) и
    ↳ далее за ним будет следовать содержимое связи.
99  /// Каждое ограничение может иметь значения: Constants.Null - 0-я связь, обозначающая
    ↳ ссылку на пустоту,
100  /// Constants.Itself - требование установить ссылку на себя, 1..∞ конкретный индекс
    ↳ другой связи.
101  /// </param>
102  /// <param name="substitution"></param>
103  /// <param name="handler">
104  /// <para>A function to handle each executed change. This function can use
    ↳ Constants.Continue to continue process each change. Constants.Break can be used to
    ↳ stop receiving of executed changes.</para>
105  /// <para>Функция для обработки каждого выполненного изменения. Эта функция может
    ↳ использовать Constants.Continue чтобы продолжить обрабатывать каждое изменение.
    ↳ Constants.Break может быть использована для остановки получения выполненных
    ↳ изменений.</para>
106  /// </param>
107  /// </returns>

```

```

108     /// <para>
109     /// Constants.Continue if all executed changes are handled.
110     /// Constants.Break if processing of handled changes is stoped.
111     /// </para>
112     /// <para>
113     /// Constants.Continue если все выполненные изменения обработаны.
114     /// Constants.Break если обработка выполненных изменений остановлена.
115     /// </para>
116     /// </returns>
117     [MethodImpl(MethodImplOptions.AggressiveInlining)]
118     TLinkAddress Update(IList<TLinkAddress>? restriction, IList<TLinkAddress>? substitution,
119     ↪ WriteHandler<TLinkAddress>? handler);
120
121     /// <summary>
122     /// <para>Deletes links that match the specified restriction.</para>
123     /// <para>Удаляет связи соответствующие указанному ограничению.</para>
124     /// </summary>
125     /// <param name="restriction">
126     /// <para>Restriction on the content of a link. This argument is optional, if the null
127     ↪ passed as value that means no restriction on the content of a link are set.</para>
128     /// <para>Ограничение на содержимое связи. Этот аргумент опционален, если null передан в
129     ↪ качестве значения это означает, что никаких ограничений на содержимое связи не
130     ↪ установлено.</para>
131     /// </param>
132     /// <param name="handler">
133     /// <para>A function to handle each executed change. This function can use
134     ↪ Constants.Continue to continue process each change. Constants.Break can be used to
135     ↪ stop receiving of executed changes.</para>
136     /// <para>Функция для обработки каждого выполненного изменения. Эта функция может
137     ↪ использовать Constants.Continue чтобы продолжить обрабатывать каждое изменение.
138     ↪ Constants.Break может быть использована для остановки получения выполненных
139     ↪ изменений.</para>
140     /// </param>
141     /// <returns>
142     /// <para>
143     /// Constants.Continue if all executed changes are handled.
144     /// Constants.Break if processing of handled changes is stoped.
145     /// </para>
146     /// <para>
147     /// Constants.Continue если все выполненные изменения обработаны.
148     /// Constants.Break если обработка выполненных изменений остановлена.
149     /// </para>
150     /// </returns>
151     [MethodImpl(MethodImplOptions.AggressiveInlining)]
152     TLinkAddress Delete(IList<TLinkAddress>? restriction, WriteHandler<TLinkAddress>?
153     ↪ handler);
154
155     #endregion
156 }
157 }

```

1.8 ./csharp/Platform.Data/ILinksExtensions.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Setters;
5  using Platform.Data.Exceptions;
6  using Platform.Delegates;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data
11 {
12     /// <summary>
13     /// <para>
14     /// Represents the links extensions.
15     /// </para>
16     /// <para></para>
17     /// </summary>
18     public static class ILinksExtensions
19     {
20         public static TLinkAddress Create<TLinkAddress>(this ILinks<TLinkAddress,
21         ↪ LinksConstants<TLinkAddress>> links) => links.Create(null);
22
23         public static TLinkAddress Create<TLinkAddress>(this ILinks<TLinkAddress,
24         ↪ LinksConstants<TLinkAddress>> links, IList<TLinkAddress>? substitution)
25         {
26             var constants = links.Constants;

```

```

25     Setter<TLinkAddress, TLinkAddress> setter = new Setter<TLinkAddress,
26         ↳ TLinkAddress>(constants.Continue, constants.Break, constants.Null);
27     links.Create(substitution, setter.SetFirstFromNonNullSecondListAndReturnTrue);
28     return setter.Result;
29 }
30 public static TLinkAddress Update<TLinkAddress>(this ILinks<TLinkAddress,
31     ↳ LinksConstants<TLinkAddress>> links, IList<TLinkAddress>? restriction,
32     ↳ IList<TLinkAddress>? substitution)
33 {
34     var constants = links.Constants;
35     Setter<TLinkAddress, TLinkAddress> setter = new(constants.Continue, constants.Break,
36         ↳ constants.Null);
37     links.Update(restriction, substitution,
38         ↳ setter.SetFirstFromNonNullSecondListAndReturnTrue);
39     return setter.Result;
40 }
41 public static TLinkAddress Delete<TLinkAddress>(this ILinks<TLinkAddress,
42     ↳ LinksConstants<TLinkAddress>> links, TLinkAddress linkToDelete) => Delete(links,
43     ↳ (IList<TLinkAddress>?)new LinkAddress<TLinkAddress>(linkToDelete));
44 }
45 public static TLinkAddress Delete<TLinkAddress>(this ILinks<TLinkAddress,
46     ↳ LinksConstants<TLinkAddress>> links, IList<TLinkAddress>? restriction)
47 {
48     var constants = links.Constants;
49     Setter<TLinkAddress, TLinkAddress> setter = new Setter<TLinkAddress,
50         ↳ TLinkAddress>(constants.Continue, constants.Break, constants.Null);
51     links.Delete(restriction, setter.SetFirstFromNonNullFirstListAndReturnTrue);
52     return setter.Result;
53 }
54 }
55
56 /// <summary>
57 /// <para>
58 /// Counts the links.
59 /// </para>
60 /// </summary>
61 /// <typeparam name="TLinkAddress">
62 /// <para>The link address.</para>
63 /// </typeparam>
64 /// <typeparam name="TConstants">
65 /// <para>The constants.</para>
66 /// </typeparam>
67 /// <param name="links">
68 /// <para>The links.</para>
69 /// </param>
70 /// <param name="restrictions">
71 /// <para>The restrictions.</para>
72 /// </param>
73 /// <returns>
74 /// <para>The link address</para>
75 /// </returns>
76 [MethodImpl(MethodImplOptions.AggressiveInlining)]
77 public static TLinkAddress Count<TLinkAddress, TConstants>(this ILinks<TLinkAddress,
78     ↳ TConstants> links, params TLinkAddress[] restrictions)
79     where TConstants : LinksConstants<TLinkAddress>
80     => links.Count(restrictions);
81
82 /// <summary>
83 /// Возвращает значение, определяющее существует ли связь с указанным индексом в
84     ↳ хранилище связей.
85 /// </summary>
86 /// <param name="links">Хранилище связей.</param>
87 /// <param name="link">Индекс проверяемой на существование связи.</param>
88 /// <returns>Значение, определяющее существует ли связь.</returns>
89 [MethodImpl(MethodImplOptions.AggressiveInlining)]
90 public static bool Exists<TLinkAddress, TConstants>(this ILinks<TLinkAddress,
91     ↳ TConstants> links, TLinkAddress link)
92     where TConstants : LinksConstants<TLinkAddress>
93 {
94     var constants = links.Constants;

```

```

90     return constants.IsExternalReference(link) || (constants.IsInternalReference(link)
91     ↪ && Comparer<TLinkAddress>.Default.Compare(links.Count(new
92     ↪ LinkAddress<TLinkAddress>(link)), default) > 0);
93 }
94
95 /// <param name="links">Хранилище связей.</param>
96 /// <param name="link">Индекс проверяемой на существование связи.</param>
97 /// <remarks>
98 /// TODO: May be move to EnsureExtensions or make it both there and here
99 /// </remarks>
100 [MethodImpl(MethodImplOptions.AggressiveInlining)]
101 public static void EnsureLinkExists<TLinkAddress, TConstants>(this ILinks<TLinkAddress,
102 ↪ TConstants> links, TLinkAddress link)
103     where TConstants : LinksConstants<TLinkAddress>
104 {
105     if (!links.Exists(link))
106     {
107         throw new ArgumentLinkDoesNotExistsException<TLinkAddress>(link);
108     }
109 }
110
111 /// <param name="links">Хранилище связей.</param>
112 /// <param name="link">Индекс проверяемой на существование связи.</param>
113 /// <param name="argumentName">Имя аргумента, в который передается индекс связи.</param>
114 [MethodImpl(MethodImplOptions.AggressiveInlining)]
115 public static void EnsureLinkExists<TLinkAddress, TConstants>(this ILinks<TLinkAddress,
116 ↪ TConstants> links, TLinkAddress link, string argumentName)
117     where TConstants : LinksConstants<TLinkAddress>
118 {
119     if (!links.Exists(link))
120     {
121         throw new ArgumentLinkDoesNotExistsException<TLinkAddress>(link, argumentName);
122     }
123 }
124
125 /// <summary>
126 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
127 ↪ (handler) для каждой подходящей связи.
128 /// </summary>
129 /// <param name="links">Хранилище связей.</param>
130 /// <param name="handler">Обработчик каждой подходящей связи.</param>
131 /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
132 ↪ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
133 ↪ Any - отсутствие ограничения, 1..∞ конкретный индекс связи.</param>
134 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
135 ↪ случае.</returns>
136 [MethodImpl(MethodImplOptions.AggressiveInlining)]
137 public static TLinkAddress Each<TLinkAddress, TConstants>(this ILinks<TLinkAddress,
138 ↪ TConstants> links, ReadHandler<TLinkAddress>? handler, params TLinkAddress[]
139 ↪ restrictions)
140     where TConstants : LinksConstants<TLinkAddress>
141     => links.Each(restrictions, handler);
142
143 /// <summary>
144 /// Возвращает части-значения для связи с указанным индексом.
145 /// </summary>
146 /// <param name="links">Хранилище связей.</param>
147 /// <param name="link">Индекс связи.</param>
148 /// <returns>Уникальную связь.</returns>
149 [MethodImpl(MethodImplOptions.AggressiveInlining)]
150 public static IList<TLinkAddress>? GetLink<TLinkAddress, TConstants>(this
151 ↪ ILinks<TLinkAddress, TConstants> links, TLinkAddress link)
152     where TConstants : LinksConstants<TLinkAddress>
153 {
154     var constants = links.Constants;
155     if (constants.IsExternalReference(link))
156     {
157         return new Point<TLinkAddress>(link, constants.TargetPart + 1);
158     }
159     var linkPartsSetter = new Setter<IList<TLinkAddress>?,
160 ↪ TLinkAddress>(constants.Continue, constants.Break);
161     links.Each(linkPartsSetter.SetAndReturnTrue, link);
162     return linkPartsSetter.Result;
163 }
164
165 #region Points
166
167
168

```

```

155     /// <summary>Возвращает значение, определяющее является ли связь с указанным индексом
156     ↪ точкой полностью (связью замкнутой на себе дважды).</summary>
157     /// <param name="links">Хранилище связей.</param>
158     /// <param name="link">Индекс проверяемой связи.</param>
159     /// <returns>Значение, определяющее является ли связь точкой полностью.</returns>
160     /// <remarks>
161     /// Связь точка - это связь, у которой начало (Source) и конец (Target) есть сама эта
162     ↪ связь.
163     /// Но что, если точка уже есть, а нужно создать пару с таким же значением? Должны ли
164     ↪ точка и пара существовать одновременно?
165     /// Или в качестве решения для точек нужно использовать 0 в качестве начала и конца, а
166     ↪ сортировать по индексу в массиве связей?
167     /// Какое тогда будет значение Source и Target у точки? 0 или её индекс?
168     /// Или точка должна быть одновременно точкой и парой, а также последовательностями из
169     ↪ самой себя любого размера?
170     /// Как только есть ссылка на себя, появляется этот парадокс, причём достаточно даже
171     ↪ одной ссылки на себя (частичной точки).
172     /// А что если не выбирать что является точкой, пара нулей (цикл через пустоту) или
173     /// самостоятельный цикл через себя? Что если предоставить все варианты использования
174     ↪ связей?
175     /// Что если разрешить и нули, а так же частичные варианты?
176     ///
177     /// Что если точка, это только в том случае когда link.Source == link && link.Target == link , т.е. дважды ссылка на себя.
178     /// А пара это тогда, когда link.Source == link.Target && link.Source != link ,
179     ↪ т.е. ссылка не на себя а во вне.
180     ///
181     /// Тогда если у нас уже создана пара, но нам нужна точка, мы можем используя
182     ↪ промежуточную связь,
183     /// например "DoubletOf" обозначить что является точно парой, а что точно точкой.
184     /// И наоборот этот же метод поможет, если уже существует точка, но нам нужна пара.
185     /// </remarks>
186     [MethodImpl(MethodImplOptions.AggressiveInlining)]
187     public static bool IsFullPoint<TLinkAddress, TConstants>(this ILinks<TLinkAddress,
188     ↪ TConstants> links, TLinkAddress link)
189     where TConstants : LinksConstants<TLinkAddress>
190     {
191         if (links.Constants.IsExternalReference(link))
192         {
193             return true;
194         }
195         links.EnsureLinkExists(link);
196         return Point<TLinkAddress>.IsFullPoint(links.GetLink(link));
197     }
198
199     /// <summary>Возвращает значение, определяющее является ли связь с указанным индексом
200     ↪ точкой частично (связью замкнутой на себе как минимум один раз).</summary>
201     /// <param name="links">Хранилище связей.</param>
202     /// <param name="link">Индекс проверяемой связи.</param>
203     /// <returns>Значение, определяющее является ли связь точкой частично.</returns>
204     /// <remarks>
205     /// Достаточно любой одной ссылки на себя.
206     /// Также в будущем можно будет проверять и всех родителей, чтобы проверить есть ли
207     ↪ ссылки на себя (на эту связь).
208     /// </remarks>
209     [MethodImpl(MethodImplOptions.AggressiveInlining)]
210     public static bool IsPartialPoint<TLinkAddress, TConstants>(this ILinks<TLinkAddress,
211     ↪ TConstants> links, TLinkAddress link)
212     where TConstants : LinksConstants<TLinkAddress>
213     {
214         if (links.Constants.IsExternalReference(link))
215         {
216             return true;
217         }
218         links.EnsureLinkExists(link);
219         return Point<TLinkAddress>.IsPartialPoint(links.GetLink(link));
220     }
221 }

```

1.9 ./csharp/Platform.Data/ISynchronizedLinks.cs

```

1 using Platform.Threading.Synchronization;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data

```



```

6 {
7     /// <summary>
8     /// <para>
9     /// Defines the synchronized links.
10    /// </para>
11    /// <para></para>
12    /// </summary>
13    /// <seealso cref="ISynchronized{TLinks}"/>
14    /// <seealso cref="ILinks{TLinkAddress, TConstants}"/>
15    public interface ISynchronizedLinks<TLinkAddress, TLinks, TConstants> :
16        ↳ ISynchronized<TLinks>, ILinks<TLinkAddress, TConstants>
17        where TLinks : ILinks<TLinkAddress, TConstants>
18        where TConstants : LinksConstants<TLinkAddress>
19    {
20    }
21 }

```

1.10 ./csharp/Platform.Data/LinkAddress.cs

```

1 using System;
2 using System.Collections;
3 using System.Collections.Generic;
4 using System.Runtime.CompilerServices;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data
9 {
10    /// <summary>
11    /// <para>
12    /// Represents the link address.
13    /// </para>
14    /// <para></para>
15    /// </summary>
16    /// <seealso cref="IEquatable{LinkAddress{TLinkAddress}}"/>
17    /// <seealso cref="IList{TLinkAddress}"/>
18    public class LinkAddress<TLinkAddress> : IEquatable<LinkAddress<TLinkAddress>>,
19        ↳ IList<TLinkAddress>
20    {
21        private static readonly EqualityComparer<TLinkAddress> _equalityComparer =
22            ↳ EqualityComparer<TLinkAddress>.Default;
23
24        /// <summary>
25        /// <para>
26        /// Gets the index value.
27        /// </para>
28        /// <para></para>
29        /// </summary>
30        public TLinkAddress Index
31        {
32            [MethodImpl(MethodImplOptions.AggressiveInlining)]
33            get;
34        }
35
36        /// <summary>
37        /// <para>
38        /// The not supported exception.
39        /// </para>
40        /// <para></para>
41        /// </summary>
42        public TLinkAddress this[int index]
43        {
44            [MethodImpl(MethodImplOptions.AggressiveInlining)]
45            get
46            {
47                if (index == 0)
48                {
49                    return Index;
50                }
51                else
52                {
53                    throw new IndexOutOfRangeException();
54                }
55            }
56            [MethodImpl(MethodImplOptions.AggressiveInlining)]
57            set => throw new NotSupportedException();
58        }
59
60        /// <summary>
61        /// <para>

```

```

60     /// Gets the count value.
61     /// </para>
62     /// <para></para>
63     /// </summary>
64     public int Count
65     {
66         [MethodImpl(MethodImplOptions.AggressiveInlining)]
67         get => 1;
68     }
69
70     /// <summary>
71     /// <para>
72     /// Gets the is read only value.
73     /// </para>
74     /// <para></para>
75     /// </summary>
76     public bool IsReadOnly
77     {
78         [MethodImpl(MethodImplOptions.AggressiveInlining)]
79         get => true;
80     }
81
82     /// <summary>
83     /// <para>
84     /// Initializes a new <see cref="LinkAddress{TLinkAddress}"/> instance.
85     /// </para>
86     /// <para></para>
87     /// </summary>
88     /// <param name="index">
89     /// <para>A index.</para>
90     /// <para></para>
91     /// </param>
92     [MethodImpl(MethodImplOptions.AggressiveInlining)]
93     public LinkAddress(TLinkAddress index) => Index = index;
94
95     /// <summary>
96     /// <para>
97     /// Adds the item.
98     /// </para>
99     /// <para></para>
100    /// </summary>
101    /// <param name="item">
102    /// <para>The item.</para>
103    /// <para></para>
104    /// </param>
105    [MethodImpl(MethodImplOptions.AggressiveInlining)]
106    public void Add(TLinkAddress item) => throw new NotSupportedException();
107
108    /// <summary>
109    /// <para>
110    /// Clears this instance.
111    /// </para>
112    /// <para></para>
113    /// </summary>
114    [MethodImpl(MethodImplOptions.AggressiveInlining)]
115    public void Clear() => throw new NotSupportedException();
116
117    /// <summary>
118    /// <para>
119    /// Determines whether this instance contains.
120    /// </para>
121    /// <para></para>
122    /// </summary>
123    /// <param name="item">
124    /// <para>The item.</para>
125    /// <para></para>
126    /// </param>
127    /// <returns>
128    /// <para>The bool</para>
129    /// <para></para>
130    /// </returns>
131    [MethodImpl(MethodImplOptions.AggressiveInlining)]
132    public virtual bool Contains(TLinkAddress item) => _equalityComparer.Equals(item, Index);
133
134    /// <summary>
135    /// <para>
136    /// Copies the to using the specified array.
137    /// </para>

```

```

138     /// <para></para>
139     /// </summary>
140     /// <param name="array">
141     /// <para>The array.</para>
142     /// <para></para>
143     /// </param>
144     /// <param name="arrayIndex">
145     /// <para>The array index.</para>
146     /// <para></para>
147     /// </param>
148     [MethodImpl(MethodImplOptions.AggressiveInlining)]
149     public void CopyTo(TLinkAddress[] array, int arrayIndex) => array[arrayIndex] = Index;
150
151     /// <summary>
152     /// <para>
153     /// Gets the enumerator.
154     /// </para>
155     /// <para></para>
156     /// </summary>
157     /// <returns>
158     /// <para>An enumerator of t link address</para>
159     /// <para></para>
160     /// </returns>
161     [MethodImpl(MethodImplOptions.AggressiveInlining)]
162     public IEnumerator<TLinkAddress> GetEnumerator()
163     {
164         yield return Index;
165     }
166
167     /// <summary>
168     /// <para>
169     /// Indexes the of using the specified item.
170     /// </para>
171     /// <para></para>
172     /// </summary>
173     /// <param name="item">
174     /// <para>The item.</para>
175     /// <para></para>
176     /// </param>
177     /// <returns>
178     /// <para>The int</para>
179     /// <para></para>
180     /// </returns>
181     [MethodImpl(MethodImplOptions.AggressiveInlining)]
182     public virtual int IndexOf(TLinkAddress item) => _equalityComparer.Equals(item, Index) ?
    ↪ 0 : -1;
183
184     /// <summary>
185     /// <para>
186     /// Inserts the index.
187     /// </para>
188     /// <para></para>
189     /// </summary>
190     /// <param name="index">
191     /// <para>The index.</para>
192     /// <para></para>
193     /// </param>
194     /// <param name="item">
195     /// <para>The item.</para>
196     /// <para></para>
197     /// </param>
198     [MethodImpl(MethodImplOptions.AggressiveInlining)]
199     public void Insert(int index, TLinkAddress item) => throw new NotSupportedException();
200
201     /// <summary>
202     /// <para>
203     /// Determines whether this instance remove.
204     /// </para>
205     /// <para></para>
206     /// </summary>
207     /// <param name="item">
208     /// <para>The item.</para>
209     /// <para></para>
210     /// </param>
211     /// <returns>
212     /// <para>The bool</para>
213     /// <para></para>
214     /// </returns>

```

```

215 [MethodImpl(MethodImplOptions.AggressiveInlining)]
216 public bool Remove(TLinkAddress item) => throw new NotSupportedException();
217
218 /// <summary>
219 /// <para>
220 /// Removes the at using the specified index.
221 /// </para>
222 /// <para></para>
223 /// </summary>
224 /// <param name="index">
225 /// <para>The index.</para>
226 /// <para></para>
227 /// </param>
228 [MethodImpl(MethodImplOptions.AggressiveInlining)]
229 public void RemoveAt(int index) => throw new NotSupportedException();
230
231 /// <summary>
232 /// <para>
233 /// Gets the enumerator.
234 /// </para>
235 /// <para></para>
236 /// </summary>
237 /// <returns>
238 /// <para>The enumerator</para>
239 /// <para></para>
240 /// </returns>
241 [MethodImpl(MethodImplOptions.AggressiveInlining)]
242 IEnumerator IEnumerable.GetEnumerator()
243 {
244     yield return Index;
245 }
246
247 /// <summary>
248 /// <para>
249 /// Determines whether this instance equals.
250 /// </para>
251 /// <para></para>
252 /// </summary>
253 /// <param name="other">
254 /// <para>The other.</para>
255 /// <para></para>
256 /// </param>
257 /// <returns>
258 /// <para>The bool</para>
259 /// <para></para>
260 /// </returns>
261 [MethodImpl(MethodImplOptions.AggressiveInlining)]
262 public virtual bool Equals(LinkAddress<TLinkAddress> other) => other != null &&
    ↪ _equalityComparer.Equals(Index, other.Index);
263
264 [MethodImpl(MethodImplOptions.AggressiveInlining)]
265 public static implicit operator TLinkAddress(LinkAddress<TLinkAddress> linkAddress) =>
    ↪ linkAddress.Index;
266
267 [MethodImpl(MethodImplOptions.AggressiveInlining)]
268 public static implicit operator LinkAddress<TLinkAddress>(TLinkAddress linkAddress) =>
    ↪ new LinkAddress<TLinkAddress>(linkAddress);
269
270 /// <summary>
271 /// <para>
272 /// Determines whether this instance equals.
273 /// </para>
274 /// <para></para>
275 /// </summary>
276 /// <param name="obj">
277 /// <para>The obj.</para>
278 /// <para></para>
279 /// </param>
280 /// <returns>
281 /// <para>The bool</para>
282 /// <para></para>
283 /// </returns>
284 [MethodImpl(MethodImplOptions.AggressiveInlining)]
285 public override bool Equals(object obj) => obj is LinkAddress<TLinkAddress> linkAddress
    ↪ ? Equals(linkAddress) : false;
286
287 /// <summary>
288 /// <para>

```

```

289     /// Gets the hash code.
290     /// </para>
291     /// <para></para>
292     /// </summary>
293     /// <returns>
294     /// <para>The int</para>
295     /// <para></para>
296     /// </returns>
297     [MethodImpl(MethodImplOptions.AggressiveInlining)]
298     public override int GetHashCode() => Index.GetHashCode();
299
300     /// <summary>
301     /// <para>
302     /// Returns the string.
303     /// </para>
304     /// <para></para>
305     /// </summary>
306     /// <returns>
307     /// <para>The string</para>
308     /// <para></para>
309     /// </returns>
310     [MethodImpl(MethodImplOptions.AggressiveInlining)]
311     public override string ToString() => Index.ToString();
312
313     [MethodImpl(MethodImplOptions.AggressiveInlining)]
314     public static bool operator ==(LinkAddress<TLinkAddress> left, LinkAddress<TLinkAddress>
    ↪ right)
315     {
316         if (left == null && right == null)
317         {
318             return true;
319         }
320         if (left == null)
321         {
322             return false;
323         }
324         return left.Equals(right);
325     }
326
327     [MethodImpl(MethodImplOptions.AggressiveInlining)]
328     public static bool operator !=(LinkAddress<TLinkAddress> left, LinkAddress<TLinkAddress>
    ↪ right) => !(left == right);
329 }
330 }

```

1.11 ./csharp/Platform.Data/LinksConstants.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Ranges;
3  using Platform.Reflection;
4  using Platform.Converters;
5  using Platform.Numbers;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data
10 {
11     /// <summary>
12     /// <para>
13     /// Represents the links constants.
14     /// </para>
15     /// <para></para>
16     /// </summary>
17     /// <seealso cref="LinksConstantsBase"/>
18     public class LinksConstants<TLinkAddress> : LinksConstantsBase
19     {
20         private static readonly TLinkAddress _one = Arithmetic<TLinkAddress>.Increment(default);
21         private static readonly UncheckedConverter<ulong, TLinkAddress>
    ↪ _uInt64ToAddressConverter = UncheckedConverter<ulong, TLinkAddress>.Default;
22
23         #region Link parts
24
25         /// <summary>Возвращает индекс части, которая отвечает за индекс (адрес, идентификатор)
    ↪ самой связи.</summary>
26         public int IndexPart
27         {
28             [MethodImpl(MethodImplOptions.AggressiveInlining)]
29             get;
30         }
31

```

```

32     /// <summary>Возвращает индекс части, которая отвечает за ссылку на связь-начало (первая
    ↪ часть-значение).</summary>
33     public int SourcePart
34     {
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         get;
37     }
38
39     /// <summary>Возвращает индекс части, которая отвечает за ссылку на связь-конец
    ↪ (последняя часть-значение).</summary>
40     public int TargetPart
41     {
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         get;
44     }
45
46     #endregion
47
48     #region Flow control
49
50     /// <summary>Возвращает значение, обозначающее продолжение прохода по связям.</summary>
51     /// <remarks>Используется в функции обработчике, который передаётся в функцию
    ↪ Each.</remarks>
52     public TLinkAddress Continue
53     {
54         [MethodImpl(MethodImplOptions.AggressiveInlining)]
55         get;
56     }
57
58     /// <summary>Возвращает значение, обозначающее остановку прохода по связям.</summary>
59     /// <remarks>Используется в функции обработчике, который передаётся в функцию
    ↪ Each.</remarks>
60     public TLinkAddress Break
61     {
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
63         get;
64     }
65
66     /// <summary>Возвращает значение, обозначающее пропуск в проходе по связям.</summary>
67     public TLinkAddress Skip
68     {
69         [MethodImpl(MethodImplOptions.AggressiveInlining)]
70         get;
71     }
72
73     #endregion
74
75     #region Special symbols
76
77     /// <summary>Возвращает значение, обозначающее отсутствие связи.</summary>
78     public TLinkAddress Null
79     {
80         [MethodImpl(MethodImplOptions.AggressiveInlining)]
81         get;
82     }
83
84     /// <summary>Возвращает значение, обозначающее любую связь.</summary>
85     /// <remarks>Возможно нужно зарезервировать отдельное значение, тогда можно будет
    ↪ создавать все варианты последовательностей в функции Create.</remarks>
86     public TLinkAddress Any
87     {
88         [MethodImpl(MethodImplOptions.AggressiveInlining)]
89         get;
90     }
91
92     /// <summary>Возвращает значение, обозначающее связь-ссылку на саму связь.</summary>
93     public TLinkAddress Itself
94     {
95         [MethodImpl(MethodImplOptions.AggressiveInlining)]
96         get;
97     }
98
99     public TLinkAddress Error { get; }
100
101     #endregion
102
103     #region References
104
105     /// <summary>Возвращает диапазон возможных индексов для внутренних связей (внутренних
    ↪ ссылок).</summary>

```

```

106 public Range<TLinkAddress> InternalReferencesRange
107 {
108     [MethodImpl(MethodImplOptions.AggressiveInlining)]
109     get;
110 }
111
112 /// <summary>Возвращает диапазон возможных индексов для внешних связей (внешних
113     ↳ ссылок).</summary>
114 public Range<TLinkAddress>? ExternalReferencesRange
115 {
116     [MethodImpl(MethodImplOptions.AggressiveInlining)]
117     get;
118 }
119 #endregion
120
121 /// <summary>
122 /// <para>
123 /// Initializes a new <see cref="LinksConstants{TLinkAddress}"/> instance.
124 /// </para>
125 /// <para></para>
126 /// </summary>
127 /// <param name="targetPart">
128 /// <para>A target part.</para>
129 /// <para></para>
130 /// </param>
131 /// <param name="possibleInternalReferencesRange">
132 /// <para>A possible internal references range.</para>
133 /// <para></para>
134 /// </param>
135 /// <param name="possibleExternalReferencesRange">
136 /// <para>A possible external references range.</para>
137 /// <para></para>
138 /// </param>
139 [MethodImpl(MethodImplOptions.AggressiveInlining)]
140 public LinksConstants(int targetPart, Range<TLinkAddress>
141     ↳ possibleInternalReferencesRange, Range<TLinkAddress>?
142     ↳ possibleExternalReferencesRange)
143 {
144     IndexPart = 0;
145     SourcePart = 1;
146     TargetPart = targetPart;
147     var currentInternalReferenceIndex = possibleInternalReferencesRange.Maximum;
148     Null = default;
149     Continue = currentInternalReferenceIndex;
150     Break = Arithmetic.Decrement(ref currentInternalReferenceIndex);
151     Skip = Arithmetic.Decrement(ref currentInternalReferenceIndex);
152     Any = Arithmetic.Decrement(ref currentInternalReferenceIndex);
153     Itself = Arithmetic.Decrement(ref currentInternalReferenceIndex);
154     Error = Arithmetic.Decrement(ref currentInternalReferenceIndex);
155     Arithmetic.Decrement(ref currentInternalReferenceIndex);
156     InternalReferencesRange = (possibleInternalReferencesRange.Minimum,
157     ↳ currentInternalReferenceIndex);
158     ExternalReferencesRange = possibleExternalReferencesRange;
159 }
160
161 /// <summary>
162 /// <para>
163 /// Initializes a new <see cref="LinksConstants{TLinkAddress}"/> instance.
164 /// </para>
165 /// <para></para>
166 /// </summary>
167 /// <param name="targetPart">
168 /// <para>A target part.</para>
169 /// <para></para>
170 /// </param>
171 /// <param name="enableExternalReferencesSupport">
172 /// <para>A enable external references support.</para>
173 /// <para></para>
174 /// </param>
175 [MethodImpl(MethodImplOptions.AggressiveInlining)]
176 public LinksConstants(int targetPart, bool enableExternalReferencesSupport) :
177     ↳ this(targetPart, GetDefaultInternalReferencesRange(enableExternalReferencesSupport),
178     ↳ GetDefaultExternalReferencesRange(enableExternalReferencesSupport)) { }
179
180 /// <summary>
181 /// <para>
182 /// Initializes a new <see cref="LinksConstants{TLinkAddress}"/> instance.
183 /// </para>

```

```

179     /// <para></para>
180     /// </summary>
181     /// <param name="possibleInternalReferencesRange">
182     /// <para>A possible internal references range.</para>
183     /// <para></para>
184     /// </param>
185     /// <param name="possibleExternalReferencesRange">
186     /// <para>A possible external references range.</para>
187     /// <para></para>
188     /// </param>
189     [MethodImpl(MethodImplOptions.AggressiveInlining)]
190     public LinksConstants(Range<TLinkAddress> possibleInternalReferencesRange,
        ↪ Range<TLinkAddress>? possibleExternalReferencesRange) : this(DefaultTargetPart,
        ↪ possibleInternalReferencesRange, possibleExternalReferencesRange) { }

191
192     /// <summary>
193     /// <para>
194     /// Initializes a new <see cref="LinksConstants{TLinkAddress}"/> instance.
195     /// </para>
196     /// <para></para>
197     /// </summary>
198     /// <param name="enableExternalReferencesSupport">
199     /// <para>A enable external references support.</para>
200     /// <para></para>
201     /// </param>
202     [MethodImpl(MethodImplOptions.AggressiveInlining)]
203     public LinksConstants(bool enableExternalReferencesSupport) :
        ↪ this(GetDefaultInternalReferencesRange(enableExternalReferencesSupport),
        ↪ GetDefaultExternalReferencesRange(enableExternalReferencesSupport)) { }

204
205     /// <summary>
206     /// <para>
207     /// Initializes a new <see cref="LinksConstants{TLinkAddress}"/> instance.
208     /// </para>
209     /// <para></para>
210     /// </summary>
211     /// <param name="targetPart">
212     /// <para>A target part.</para>
213     /// <para></para>
214     /// </param>
215     /// <param name="possibleInternalReferencesRange">
216     /// <para>A possible internal references range.</para>
217     /// <para></para>
218     /// </param>
219     [MethodImpl(MethodImplOptions.AggressiveInlining)]
220     public LinksConstants(int targetPart, Range<TLinkAddress>
        ↪ possibleInternalReferencesRange) : this(targetPart, possibleInternalReferencesRange,
        ↪ null) { }

221
222     /// <summary>
223     /// <para>
224     /// Initializes a new <see cref="LinksConstants{TLinkAddress}"/> instance.
225     /// </para>
226     /// <para></para>
227     /// </summary>
228     /// <param name="possibleInternalReferencesRange">
229     /// <para>A possible internal references range.</para>
230     /// <para></para>
231     /// </param>
232     [MethodImpl(MethodImplOptions.AggressiveInlining)]
233     public LinksConstants(Range<TLinkAddress> possibleInternalReferencesRange) :
        ↪ this(DefaultTargetPart, possibleInternalReferencesRange, null) { }

234
235     /// <summary>
236     /// <para>
237     /// Initializes a new <see cref="LinksConstants{TLinkAddress}"/> instance.
238     /// </para>
239     /// <para></para>
240     /// </summary>
241     [MethodImpl(MethodImplOptions.AggressiveInlining)]
242     public LinksConstants() : this(DefaultTargetPart, enableExternalReferencesSupport:
        ↪ false) { }

243
244     /// <summary>
245     /// <para>
246     /// Gets the default internal references range using the specified enable external
        ↪ references support.

```



```

247     /// </para>
248     /// <para></para>
249     /// </summary>
250     /// <param name="enableExternalReferencesSupport">
251     /// <para>The enable external references support.</para>
252     /// <para></para>
253     /// </param>
254     /// <returns>
255     /// <para>A range of t link address</para>
256     /// <para></para>
257     /// </returns>
258     [MethodImpl(MethodImplOptions.AggressiveInlining)]
259     public static Range<TLinkAddress> GetDefaultInternalReferencesRange(bool
    ↪ enableExternalReferencesSupport)
260     {
261         if (enableExternalReferencesSupport)
262         {
263             return (_one, _uInt64ToAddressConverter.Convert(Hybrid<TLinkAddress>.HalfOfNumbe
    ↪ rValuesRange));
264         }
265         else
266         {
267             return (_one, NumericType<TLinkAddress>.MaxValue);
268         }
269     }
270
271     /// <summary>
272     /// <para>
273     /// Gets the default external references range using the specified enable external
    ↪ references support.
274     /// </para>
275     /// <para></para>
276     /// </summary>
277     /// <param name="enableExternalReferencesSupport">
278     /// <para>The enable external references support.</para>
279     /// <para></para>
280     /// </param>
281     /// <returns>
282     /// <para>A range of t link address</para>
283     /// <para></para>
284     /// </returns>
285     [MethodImpl(MethodImplOptions.AggressiveInlining)]
286     public static Range<TLinkAddress>? GetDefaultExternalReferencesRange(bool
    ↪ enableExternalReferencesSupport)
287     {
288         if (enableExternalReferencesSupport)
289         {
290             return (Hybrid<TLinkAddress>.ExternalZero, NumericType<TLinkAddress>.MaxValue);
291         }
292         else
293         {
294             return null;
295         }
296     }
297 }
298 }

```

1.12 ./csharp/Platform.Data/LinksConstantsBase.cs

```

1 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3 namespace Platform.Data
4 {
5     /// <summary>
6     /// <para>
7     /// Represents the links constants base.
8     /// </para>
9     /// <para></para>
10    /// </summary>
11    public abstract class LinksConstantsBase
12    {
13        /// <summary>
14        /// <para>
15        /// The default target part.
16        /// </para>
17        /// <para></para>
18        /// </summary>
19        public static readonly int DefaultTargetPart = 2;
20    }

```

21 }

1.13 ./csharp/Platform.Data/LinksConstantsExtensions.cs

```
1 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3 using System.Runtime.CompilerServices;
4
5 namespace Platform.Data
6 {
7     /// <summary>
8     /// <para>
9     /// Represents the links constants extensions.
10    /// </para>
11    /// <para></para>
12    /// </summary>
13    public static class LinksConstantsExtensions
14    {
15        /// <summary>
16        /// <para>
17        /// Determines whether is reference.
18        /// </para>
19        /// <para></para>
20        /// </summary>
21        /// <typeparam name="TLinkAddress">
22        /// <para>The link address.</para>
23        /// <para></para>
24        /// </typeparam>
25        /// <param name="linksConstants">
26        /// <para>The links constants.</para>
27        /// <para></para>
28        /// </param>
29        /// <param name="address">
30        /// <para>The address.</para>
31        /// <para></para>
32        /// </param>
33        /// <returns>
34        /// <para>The bool</para>
35        /// <para></para>
36        /// </returns>
37        [MethodImpl(MethodImplOptions.AggressiveInlining)]
38        public static bool IsReference<TLinkAddress>(this LinksConstants<TLinkAddress>
39        → linksConstants, TLinkAddress address) => linksConstants.IsInternalReference(address)
40        → || linksConstants.IsExternalReference(address);
41
42    /// <summary>
43    /// <para>
44    /// Determines whether is internal reference.
45    /// </para>
46    /// <para></para>
47    /// </summary>
48    /// <typeparam name="TLinkAddress">
49    /// <para>The link address.</para>
50    /// <para></para>
51    /// </typeparam>
52    /// <param name="linksConstants">
53    /// <para>The links constants.</para>
54    /// <para></para>
55    /// </param>
56    /// <param name="address">
57    /// <para>The address.</para>
58    /// <para></para>
59    /// </param>
60    /// <returns>
61    /// <para>The bool</para>
62    /// <para></para>
63    /// </returns>
64    [MethodImpl(MethodImplOptions.AggressiveInlining)]
65    public static bool IsInternalReference<TLinkAddress>(this LinksConstants<TLinkAddress>
66    → linksConstants, TLinkAddress address) =>
67    → linksConstants.InternalReferencesRange.Contains(address);
68
69    /// <summary>
70    /// <para>
71    /// Determines whether is external reference.
72    /// </para>
73    /// <para></para>
74    /// </summary>
75    /// <typeparam name="TLinkAddress">
```

```

72     /// <para>The link address.</para>
73     /// <para></para>
74     /// </typeparam>
75     /// <param name="linksConstants">
76     /// <para>The links constants.</para>
77     /// <para></para>
78     /// </param>
79     /// <param name="address">
80     /// <para>The address.</para>
81     /// <para></para>
82     /// </param>
83     /// <returns>
84     /// <para>The bool</para>
85     /// <para></para>
86     /// </returns>
87     [MethodImpl(MethodImplOptions.AggressiveInlining)]
88     public static bool IsExternalReference<TLinkAddress>(this LinksConstants<TLinkAddress>
    → linksConstants, TLinkAddress address) =>
    → linksConstants.ExternalReferencesRange?.Contains(address) ?? false;
89 }
90 }

```

1.14 ./csharp/Platform.Data/Numbers/Raw/AddressToRawNumberConverter.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Converters;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Numbers.Raw
7 {
8     /// <summary>
9     /// <para>
10    /// Represents the address to raw number converter.
11    /// </para>
12    /// <para></para>
13    /// </summary>
14    /// <seealso cref="IConverter{TLinkAddress}"/>
15    public class AddressToRawNumberConverter<TLinkAddress> : IConverter<TLinkAddress>
16    {
17        /// <summary>
18        /// <para>
19        /// Converts the source.
20        /// </para>
21        /// <para></para>
22        /// </summary>
23        /// <param name="source">
24        /// <para>The source.</para>
25        /// <para></para>
26        /// </param>
27        /// <returns>
28        /// <para>The link</para>
29        /// <para></para>
30        /// </returns>
31        [MethodImpl(MethodImplOptions.AggressiveInlining)]
32        public TLinkAddress Convert(TLinkAddress source) => new Hybrid<TLinkAddress>(source,
    → isExternal: true);
33    }
34 }

```

1.15 ./csharp/Platform.Data/Numbers/Raw/RawNumberToAddressConverter.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Converters;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Numbers.Raw
7 {
8     /// <summary>
9     /// <para>
10    /// Represents the raw number to address converter.
11    /// </para>
12    /// <para></para>
13    /// </summary>
14    /// <seealso cref="IConverter{TLinkAddress}"/>
15    public class RawNumberToAddressConverter<TLinkAddress> : IConverter<TLinkAddress>
16    {
17        /// <summary>
18        /// <para>

```

```

19     /// The default.
20     /// </para>
21     /// <para></para>
22     /// </summary>
23     static private readonly UncheckedConverter<long, TLinkAddress> _converter =
        ↪ UncheckedConverter<long, TLinkAddress>.Default;
24
25     /// <summary>
26     /// <para>
27     /// Converts the source.
28     /// </para>
29     /// <para></para>
30     /// </summary>
31     /// <param name="source">
32     /// <para>The source.</para>
33     /// <para></para>
34     /// </param>
35     /// <returns>
36     /// <para>The link</para>
37     /// <para></para>
38     /// </returns>
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     public TLinkAddress Convert(TLinkAddress source) => _converter.Convert(new
        ↪ Hybrid<TLinkAddress>(source).AbsoluteValue);
41 }
42 }

```

1.16 ./csharp/Platform.Data/Point.cs

```

1 using System;
2 using System.Collections;
3 using System.Collections.Generic;
4 using System.Runtime.CompilerServices;
5 using Platform.Exceptions;
6 using Platform.Ranges;
7 using Platform.Collections;
8
9 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data
12 {
13     /// <summary>
14     /// <para>
15     /// Represents the point.
16     /// </para>
17     /// <para></para>
18     /// </summary>
19     /// <seealso cref="IEquatable{LinkAddress{TLinkAddress}}"/>
20     /// <seealso cref="IList{TLinkAddress}"/>
21     public class Point<TLinkAddress> : IEquatable<LinkAddress<TLinkAddress>>, IList<TLinkAddress>
22     {
23         private static readonly EqualityComparer<TLinkAddress> _equalityComparer =
            ↪ EqualityComparer<TLinkAddress>.Default;
24
25         /// <summary>
26         /// <para>
27         /// Gets the index value.
28         /// </para>
29         /// <para></para>
30         /// </summary>
31         public TLinkAddress Index
32         {
33             [MethodImpl(MethodImplOptions.AggressiveInlining)]
34             get;
35         }
36
37         /// <summary>
38         /// <para>
39         /// Gets the size value.
40         /// </para>
41         /// <para></para>
42         /// </summary>
43         public int Size
44         {
45             [MethodImpl(MethodImplOptions.AggressiveInlining)]
46             get;
47         }
48
49         /// <summary>
50         /// <para>

```

```

51     /// The not supported exception.
52     /// </para>
53     /// <para></para>
54     /// </summary>
55     public TLinkAddress this[int index]
56     {
57         [MethodImpl(MethodImplOptions.AggressiveInlining)]
58         get
59         {
60             if (index < Size)
61             {
62                 return Index;
63             }
64             else
65             {
66                 throw new IndexOutOfRangeException();
67             }
68         }
69         [MethodImpl(MethodImplOptions.AggressiveInlining)]
70         set => throw new NotSupportedException();
71     }
72
73     /// <summary>
74     /// <para>
75     /// Gets the count value.
76     /// </para>
77     /// <para></para>
78     /// </summary>
79     public int Count
80     {
81         [MethodImpl(MethodImplOptions.AggressiveInlining)]
82         get => Size;
83     }
84
85     /// <summary>
86     /// <para>
87     /// Gets the is read only value.
88     /// </para>
89     /// <para></para>
90     /// </summary>
91     public bool IsReadOnly
92     {
93         [MethodImpl(MethodImplOptions.AggressiveInlining)]
94         get => true;
95     }
96
97     /// <summary>
98     /// <para>
99     /// Initializes a new <see cref="Point{TLinkAddress}"/> instance.
100    /// </para>
101    /// <para></para>
102    /// </summary>
103    /// <param name="index">
104    /// <para>A index.</para>
105    /// <para></para>
106    /// </param>
107    /// <param name="size">
108    /// <para>A size.</para>
109    /// <para></para>
110    /// </param>
111    [MethodImpl(MethodImplOptions.AggressiveInlining)]
112    public Point(TLinkAddress index, int size)
113    {
114        Index = index;
115        Size = size;
116    }
117
118    /// <summary>
119    /// <para>
120    /// Adds the item.
121    /// </para>
122    /// <para></para>
123    /// </summary>
124    /// <param name="item">
125    /// <para>The item.</para>
126    /// <para></para>
127    /// </param>
128    [MethodImpl(MethodImplOptions.AggressiveInlining)]
129    public void Add(TLinkAddress item) => throw new NotSupportedException();

```

```

130
131     /// <summary>
132     /// <para>
133     /// Clears this instance.
134     /// </para>
135     /// <para></para>
136     /// </summary>
137     [MethodImpl(MethodImplOptions.AggressiveInlining)]
138     public void Clear() => throw new NotSupportedException();
139
140     /// <summary>
141     /// <para>
142     /// Determines whether this instance contains.
143     /// </para>
144     /// <para></para>
145     /// </summary>
146     /// <param name="item">
147     /// <para>The item.</para>
148     /// <para></para>
149     /// </param>
150     /// <returns>
151     /// <para>The bool</para>
152     /// <para></para>
153     /// </returns>
154     [MethodImpl(MethodImplOptions.AggressiveInlining)]
155     public virtual bool Contains(TLinkAddress item) => _equalityComparer.Equals(item, Index);
156
157     /// <summary>
158     /// <para>
159     /// Copies the to using the specified array.
160     /// </para>
161     /// <para></para>
162     /// </summary>
163     /// <param name="array">
164     /// <para>The array.</para>
165     /// <para></para>
166     /// </param>
167     /// <param name="arrayIndex">
168     /// <para>The array index.</para>
169     /// <para></para>
170     /// </param>
171     [MethodImpl(MethodImplOptions.AggressiveInlining)]
172     public void CopyTo(TLinkAddress[] array, int arrayIndex) => array[arrayIndex] = Index;
173
174     /// <summary>
175     /// <para>
176     /// Gets the enumerator.
177     /// </para>
178     /// <para></para>
179     /// </summary>
180     /// <returns>
181     /// <para>An enumerator of t link address</para>
182     /// <para></para>
183     /// </returns>
184     [MethodImpl(MethodImplOptions.AggressiveInlining)]
185     public IEnumerator<TLinkAddress> GetEnumerator()
186     {
187         for (int i = 0; i < Size; i++)
188         {
189             yield return Index;
190         }
191     }
192
193     /// <summary>
194     /// <para>
195     /// Indexes the of using the specified item.
196     /// </para>
197     /// <para></para>
198     /// </summary>
199     /// <param name="item">
200     /// <para>The item.</para>
201     /// <para></para>
202     /// </param>
203     /// <returns>
204     /// <para>The int</para>
205     /// <para></para>
206     /// </returns>
207     [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

208 public virtual int IndexOf(TLinkAddress item) => _equalityComparer.Equals(item, Index) ?
    → 0 : -1;
209
210 /// <summary>
211 /// <para>
212 /// Inserts the index.
213 /// </para>
214 /// <para></para>
215 /// </summary>
216 /// <param name="index">
217 /// <para>The index.</para>
218 /// <para></para>
219 /// </param>
220 /// <param name="item">
221 /// <para>The item.</para>
222 /// <para></para>
223 /// </param>
224 [MethodImpl(MethodImplOptions.AggressiveInlining)]
225 public void Insert(int index, TLinkAddress item) => throw new NotSupportedException();
226
227 /// <summary>
228 /// <para>
229 /// Determines whether this instance remove.
230 /// </para>
231 /// <para></para>
232 /// </summary>
233 /// <param name="item">
234 /// <para>The item.</para>
235 /// <para></para>
236 /// </param>
237 /// <returns>
238 /// <para>The bool</para>
239 /// <para></para>
240 /// </returns>
241 [MethodImpl(MethodImplOptions.AggressiveInlining)]
242 public bool Remove(TLinkAddress item) => throw new NotSupportedException();
243
244 /// <summary>
245 /// <para>
246 /// Removes the at using the specified index.
247 /// </para>
248 /// <para></para>
249 /// </summary>
250 /// <param name="index">
251 /// <para>The index.</para>
252 /// <para></para>
253 /// </param>
254 [MethodImpl(MethodImplOptions.AggressiveInlining)]
255 public void RemoveAt(int index) => throw new NotSupportedException();
256
257 /// <summary>
258 /// <para>
259 /// Gets the enumerator.
260 /// </para>
261 /// <para></para>
262 /// </summary>
263 /// <returns>
264 /// <para>The enumerator</para>
265 /// <para></para>
266 /// </returns>
267 [MethodImpl(MethodImplOptions.AggressiveInlining)]
268 IEnumerator IEnumerable.GetEnumerator()
269 {
270     for (int i = 0; i < Size; i++)
271     {
272         yield return Index;
273     }
274 }
275
276 /// <summary>
277 /// <para>
278 /// Determines whether this instance equals.
279 /// </para>
280 /// <para></para>
281 /// </summary>
282 /// <param name="other">
283 /// <para>The other.</para>
284 /// <para></para>

```

```

285     /// </param>
286     /// <returns>
287     /// <para>The bool</para>
288     /// <para></para>
289     /// </returns>
290     [MethodImpl(MethodImplOptions.AggressiveInlining)]
291     public virtual bool Equals(LinkAddress<TLinkAddress> other) => other == null ? false :
        ↳ _equalityComparer.Equals(Index, other.Index);
292
293     [MethodImpl(MethodImplOptions.AggressiveInlining)]
294     public static implicit operator TLinkAddress(Point<TLinkAddress> linkAddress) =>
        ↳ linkAddress.Index;
295
296     /// <summary>
297     /// <para>
298     /// Determines whether this instance equals.
299     /// </para>
300     /// <para></para>
301     /// </summary>
302     /// <param name="obj">
303     /// <para>The obj.</para>
304     /// <para></para>
305     /// </param>
306     /// <returns>
307     /// <para>The bool</para>
308     /// <para></para>
309     /// </returns>
310     [MethodImpl(MethodImplOptions.AggressiveInlining)]
311     public override bool Equals(object obj) => obj is Point<TLinkAddress> linkAddress ?
        ↳ Equals(linkAddress) : false;
312
313     /// <summary>
314     /// <para>
315     /// Gets the hash code.
316     /// </para>
317     /// <para></para>
318     /// </summary>
319     /// <returns>
320     /// <para>The int</para>
321     /// <para></para>
322     /// </returns>
323     [MethodImpl(MethodImplOptions.AggressiveInlining)]
324     public override int GetHashCode() => Index.GetHashCode();
325
326     /// <summary>
327     /// <para>
328     /// Returns the string.
329     /// </para>
330     /// <para></para>
331     /// </summary>
332     /// <returns>
333     /// <para>The string</para>
334     /// <para></para>
335     /// </returns>
336     [MethodImpl(MethodImplOptions.AggressiveInlining)]
337     public override string ToString() => Index.ToString();
338
339     [MethodImpl(MethodImplOptions.AggressiveInlining)]
340     public static bool operator ==(Point<TLinkAddress> left, Point<TLinkAddress> right)
341     {
342         if (left == null && right == null)
343         {
344             return true;
345         }
346         if (left == null)
347         {
348             return false;
349         }
350         return left.Equals(right);
351     }
352
353     [MethodImpl(MethodImplOptions.AggressiveInlining)]
354     public static bool operator !=(Point<TLinkAddress> left, Point<TLinkAddress> right) =>
        ↳ !(left == right);
355
356     /// <summary>
357     /// <para>
358     /// Determines whether is full point.

```



```

359     /// </para>
360     /// <para></para>
361     /// </summary>
362     /// <param name="link">
363     /// <para>The link.</para>
364     /// <para></para>
365     /// </param>
366     /// <returns>
367     /// <para>The bool</para>
368     /// <para></para>
369     /// </returns>
370     [MethodImpl(MethodImplOptions.AggressiveInlining)]
371     public static bool IsFullPoint(params TLinkAddress[] link) =>
    ↪ IsFullPoint((IList<TLinkAddress>?)link);

372
373     /// <summary>
374     /// <para>
375     /// Determines whether is full point.
376     /// </para>
377     /// <para></para>
378     /// </summary>
379     /// <param name="link">
380     /// <para>The link.</para>
381     /// <para></para>
382     /// </param>
383     /// <returns>
384     /// <para>The bool</para>
385     /// <para></para>
386     /// </returns>
387     [MethodImpl(MethodImplOptions.AggressiveInlining)]
388     public static bool IsFullPoint(IList<TLinkAddress>? link)
389     {
390         Ensure.Always.ArgumentNotEmpty(link, nameof(link));
391         Ensure.Always.ArgumentInRange(link.Count, (2, int.MaxValue), nameof(link), "Cannot
    ↪ determine link's pointness using only its identifier.");
392         return IsFullPointUnchecked(link);
393     }
394
395     /// <summary>
396     /// <para>
397     /// Determines whether is full point unchecked.
398     /// </para>
399     /// <para></para>
400     /// </summary>
401     /// <param name="link">
402     /// <para>The link.</para>
403     /// <para></para>
404     /// </param>
405     /// <returns>
406     /// <para>The result.</para>
407     /// <para></para>
408     /// </returns>
409     [MethodImpl(MethodImplOptions.AggressiveInlining)]
410     public static bool IsFullPointUnchecked(IList<TLinkAddress>? link)
411     {
412         var result = true;
413         for (var i = 1; result && i < link.Count; i++)
414         {
415             result = _equalityComparer.Equals(link[0], link[i]);
416         }
417         return result;
418     }
419
420     /// <summary>
421     /// <para>
422     /// Determines whether is partial point.
423     /// </para>
424     /// <para></para>
425     /// </summary>
426     /// <param name="link">
427     /// <para>The link.</para>
428     /// <para></para>
429     /// </param>
430     /// <returns>
431     /// <para>The bool</para>
432     /// <para></para>
433     /// </returns>
434     [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

435 public static bool IsPartialPoint(params TLinkAddress[] link) =>
    ↳ IsPartialPoint((IList<TLinkAddress>?)link);
436
437 /// <summary>
438 /// <para>
439 /// Determines whether is partial point.
440 /// </para>
441 /// <para></para>
442 /// </summary>
443 /// <param name="link">
444 /// <para>The link.</para>
445 /// <para></para>
446 /// </param>
447 /// <returns>
448 /// <para>The bool</para>
449 /// <para></para>
450 /// </returns>
451 [MethodImpl(MethodImplOptions.AggressiveInlining)]
452 public static bool IsPartialPoint(IList<TLinkAddress>? link)
453 {
454     Ensure.Always.ArgumentNotEmpty(link, nameof(link));
455     Ensure.Always.ArgumentInRange(link.Count, (2, int.MaxValue), nameof(link), "Cannot
    ↳ determine link's pointness using only its identifier.");
456     return IsPartialPointUnchecked(link);
457 }
458
459 /// <summary>
460 /// <para>
461 /// Determines whether is partial point unchecked.
462 /// </para>
463 /// <para></para>
464 /// </summary>
465 /// <param name="link">
466 /// <para>The link.</para>
467 /// <para></para>
468 /// </param>
469 /// <returns>
470 /// <para>The result.</para>
471 /// <para></para>
472 /// </returns>
473 [MethodImpl(MethodImplOptions.AggressiveInlining)]
474 public static bool IsPartialPointUnchecked(IList<TLinkAddress>? link)
475 {
476     var result = false;
477     for (var i = 1; !result && i < link.Count; i++)
478     {
479         result = _equalityComparer.Equals(link[0], link[i]);
480     }
481     return result;
482 }
483 }
484 }

```

1.17 ./csharp/Platform.Data/Universal/IUniLinks.cs

```

1 using System;
2 using System.Collections.Generic;
3 using Platform.Delegates;
4
5 // ReSharper disable TypeParameterCanBeVariant
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Universal
9 {
10     /// <remarks>Minimal sufficient universal Links API (for bulk operations).</remarks>
11     public partial interface IUniLinks<TLinkAddress>
12     {
13         /// <summary>
14         /// <para>
15         /// Triggers the condition.
16         /// </para>
17         /// <para></para>
18         /// </summary>
19         /// <param name="condition">
20         /// <para>The condition.</para>
21         /// <para></para>
22         /// </param>
23         /// <param name="substitution">
24         /// <para>The substitution.</para>

```

```

25     /// <para></para>
26     /// </param>
27     /// <returns>
28     /// <para>A list of i list i list t link address</para>
29     /// <para></para>
30     /// </returns>
31     IList<IList<IList<TLinkAddress>?>> Trigger(IList<TLinkAddress>? condition,
32     ↪     IList<TLinkAddress>? substitution);
33
34     /// <remarks>Minimal sufficient universal Links API (for step by step operations).</remarks>
35     public partial interface IUniLinks<TLinkAddress>
36     {
37         /// <returns>
38         /// TLinkAddress that represents True (was finished fully) or TLinkAddress that
39         ↪     represents False (was stopped).
40         /// This is done to assure ability to push up stop signal through recursion stack.
41         /// </returns>
42         /// <remarks>
43         /// { 0, 0, 0 } => { itself, itself, itself } // create
44         /// { 1, any, any } => { itself, any, 3 } // update
45         /// { 3, any, any } => { 0, 0, 0 } // delete
46         /// </remarks>
47         TLinkAddress Trigger(IList<TLinkAddress>? patternOrCondition, ReadHandler<TLinkAddress>?
48         ↪     matchHandler,
49         ↪     IList<TLinkAddress>? substitution, WriteHandler<TLinkAddress>?
50         ↪     substitutionHandler);
51
52         /// <summary>
53         /// <para>
54         /// Triggers the restriction.
55         /// </para>
56         /// <para></para>
57         /// </summary>
58         /// <param name="restriction">
59         /// <para>The restriction.</para>
60         /// <para></para>
61         /// </param>
62         /// <param name="matchedHandler">
63         /// <para>The matched handler.</para>
64         /// <para></para>
65         /// </param>
66         /// <param name="substitution">
67         /// <para>The substitution.</para>
68         /// <para></para>
69         /// </param>
70         /// <param name="substitutedHandler">
71         /// <para>The substituted handler.</para>
72         /// <para></para>
73         /// </param>
74         /// <returns>
75         /// <para>The link address</para>
76         /// <para></para>
77         /// </returns>
78         TLinkAddress Trigger(IList<TLinkAddress>? restriction, WriteHandler<TLinkAddress>?
79         ↪     matchedHandler,
80         ↪     IList<TLinkAddress>? substitution, WriteHandler<TLinkAddress>? substitutedHandler);
81     }
82
83     /// <remarks>Extended with small optimization.</remarks>
84     public partial interface IUniLinks<TLinkAddress>
85     {
86         /// <remarks>
87         /// Something simple should be simple and optimized.
88         /// </remarks>
89         TLinkAddress Count(IList<TLinkAddress>? restrictions);
90     }
91 }

```

1.18 ./csharp/Platform.Data/Universal/IUniLinksCRUD.cs

```

1 using System;
2 using System.Collections.Generic;
3
4 // ReSharper disable TypeParameterCanBeVariant
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Universal
8 {

```

```

9     /// <remarks>
10    /// CRUD aliases for IUniLinks.
11    /// </remarks>
12    public interface IUniLinksCRUD<TLinkAddress>
13    {
14        /// <summary>
15        /// <para>
16        /// Reads the part type.
17        /// </para>
18        /// <para></para>
19        /// </summary>
20        /// <param name="partType">
21        /// <para>The part type.</para>
22        /// <para></para>
23        /// </param>
24        /// <param name="link">
25        /// <para>The link.</para>
26        /// <para></para>
27        /// </param>
28        /// <returns>
29        /// <para>The link address</para>
30        /// <para></para>
31        /// </returns>
32        TLinkAddress Read(int partType, TLinkAddress link);
33        /// <summary>
34        /// <para>
35        /// Reads the handler.
36        /// </para>
37        /// <para></para>
38        /// </summary>
39        /// <param name="handler">
40        /// <para>The handler.</para>
41        /// <para></para>
42        /// </param>
43        /// <param name="pattern">
44        /// <para>The pattern.</para>
45        /// <para></para>
46        /// </param>
47        /// <returns>
48        /// <para>The link address</para>
49        /// <para></para>
50        /// </returns>
51        TLinkAddress Read(Func<TLinkAddress, bool> handler, IList<TLinkAddress>? pattern);
52        /// <summary>
53        /// <para>
54        /// Creates the parts.
55        /// </para>
56        /// <para></para>
57        /// </summary>
58        /// <param name="parts">
59        /// <para>The parts.</para>
60        /// <para></para>
61        /// </param>
62        /// <returns>
63        /// <para>The link address</para>
64        /// <para></para>
65        /// </returns>
66        TLinkAddress Create(IList<TLinkAddress>? parts);
67        /// <summary>
68        /// <para>
69        /// Updates the before.
70        /// </para>
71        /// <para></para>
72        /// </summary>
73        /// <param name="before">
74        /// <para>The before.</para>
75        /// <para></para>
76        /// </param>
77        /// <param name="after">
78        /// <para>The after.</para>
79        /// <para></para>
80        /// </param>
81        /// <returns>
82        /// <para>The link address</para>
83        /// <para></para>
84        /// </returns>
85        TLinkAddress Update(IList<TLinkAddress>? before, IList<TLinkAddress>? after);
86        /// <summary>

```

```

87     /// <para>
88     /// Deletes the parts.
89     /// </para>
90     /// <para></para>
91     /// </summary>
92     /// <param name="parts">
93     /// <para>The parts.</para>
94     /// <para></para>
95     /// </param>
96     TLinkAddress Delete(IList<TLinkAddress>? parts);
97 }
98 }

```

1.19 ./csharp/Platform.Data/Universal/IUniLinksGS.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  // ReSharper disable TypeParameterCanBeVariant
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Universal
8  {
9      /// <remarks>
10     /// Get/Set aliases for IUniLinks.
11     /// </remarks>
12     public interface IUniLinksGS<TLinkAddress>
13     {
14         /// <summary>
15         /// <para>
16         /// Gets the part type.
17         /// </para>
18         /// <para></para>
19         /// </summary>
20         /// <param name="partType">
21         /// <para>The part type.</para>
22         /// <para></para>
23         /// </param>
24         /// <param name="link">
25         /// <para>The link.</para>
26         /// <para></para>
27         /// </param>
28         /// <returns>
29         /// <para>The link address</para>
30         /// <para></para>
31         /// </returns>
32         TLinkAddress Get(int partType, TLinkAddress link);
33         /// <summary>
34         /// <para>
35         /// Gets the handler.
36         /// </para>
37         /// <para></para>
38         /// </summary>
39         /// <param name="handler">
40         /// <para>The handler.</para>
41         /// <para></para>
42         /// </param>
43         /// <param name="pattern">
44         /// <para>The pattern.</para>
45         /// <para></para>
46         /// </param>
47         /// <returns>
48         /// <para>The link address</para>
49         /// <para></para>
50         /// </returns>
51         TLinkAddress Get(Func<TLinkAddress, bool> handler, IList<TLinkAddress>? pattern);
52         /// <summary>
53         /// <para>
54         /// Sets the before.
55         /// </para>
56         /// <para></para>
57         /// </summary>
58         /// <param name="before">
59         /// <para>The before.</para>
60         /// <para></para>
61         /// </param>
62         /// <param name="after">
63         /// <para>The after.</para>
64         /// <para></para>

```

```

65     /// </param>
66     /// <returns>
67     /// <para>The link address</para>
68     /// <para></para>
69     /// </returns>
70     TLinkAddress Set(IList<TLinkAddress>? before, IList<TLinkAddress>? after);
71 }
72 }

```

1.20 ./csharp/Platform.Data/Universal/IUniLinksIO.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  // ReSharper disable TypeParameterCanBeVariant
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Universal
8  {
9      /// <remarks>
10     /// In/Out aliases for IUniLinks.
11     /// TLinkAddress can be any number type of any size.
12     /// </remarks>
13     public interface IUniLinksIO<TLinkAddress>
14     {
15         /// <remarks>
16         /// default(TLinkAddress) means any link.
17         /// Single element pattern means just element (link).
18         /// Handler gets array of link contents.
19         /// * link[0] is index or identifier.
20         /// * link[1] is source or first.
21         /// * link[2] is target or second.
22         /// * link[3] is linker or third.
23         /// * link[n] is nth part/parent/element/value
24         /// of link (if variable length links used).
25         ///
26         /// Stops and returns false if handler return false.
27         ///
28         /// Acts as Each, Foreach, Select, Search, Match & ...
29         ///
30         /// Handles all links in store if pattern/restrictions is not defined.
31         /// </remarks>
32         bool Out(Func<IList<TLinkAddress>?, bool> handler, IList<TLinkAddress>? pattern);
33
34         /// <remarks>
35         /// default(TLinkAddress) means itself.
36         /// Equivalent to:
37         /// * creation if before == null
38         /// * deletion if after == null
39         /// * update if before != null & & after != null
40         /// * default(TLinkAddress) if before == null & & after == null
41         ///
42         /// Possible interpretation
43         /// * In(null, new[] { }) creates point (link that points to itself using minimum number
44         ///   → of parts).
45         /// * In(new[] { 4 }, null) deletes 4th link.
46         /// * In(new[] { 4 }, new [] { 5 }) delete 5th link if it exists and moves 4th link to
47         ///   → 5th index.
48         /// * In(new[] { 4 }, new [] { 0, 2, 3 }) replaces 4th link with new doublet link (with
49         ///   → 2 as source and 3 as target), 0 means it can be placed in any address.
50         /// ...
51         /// </remarks>
52         TLinkAddress In(IList<TLinkAddress>? before, IList<TLinkAddress>? after);
53     }
54 }

```

1.21 ./csharp/Platform.Data/Universal/IUniLinksIOWithExtensions.cs

```

1  // ReSharper disable TypeParameterCanBeVariant
2  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
4  using System.Collections.Generic;
5
6  namespace Platform.Data.Universal
7  {
8      /// <remarks>Contains some optimizations of Out.</remarks>
9      public interface IUniLinksIOWithExtensions<TLinkAddress> : IUniLinksIO<TLinkAddress>
10     {
11         /// <remarks>
12         /// default(TLinkAddress) means nothing or null.

```

```

13     /// Single element pattern means just element (link).
14     /// OutPart(n, null) returns default(TLinkAddress).
15     /// OutPart(0, pattern) ~ Exists(link) or Search(pattern)
16     /// OutPart(1, pattern) ~ GetSource(link) or GetSource(Search(pattern))
17     /// OutPart(2, pattern) ~ GetTarget(link) or GetTarget(Search(pattern))
18     /// OutPart(3, pattern) ~ GetLinkAddresser(link) or GetLinkAddresser(Search(pattern))
19     /// OutPart(n, pattern) => For any variable length links, returns link or
    → default(TLinkAddress).
20     ///
21     /// Outs(returns) inner contents of link, its part/parent/element/value.
22     /// </remarks>
23     TLinkAddress OutOne(int partType, IList<TLinkAddress>? pattern);
24
25     /// <remarks>OutCount() returns total links in store as array.</remarks>
26     IList<IList<TLinkAddress>?> OutAll(IList<TLinkAddress>? pattern);
27
28     /// <remarks>OutCount() returns total amount of links in store.</remarks>
29     ulong OutCount(IList<TLinkAddress>? pattern);
30 }
31 }

```

1.22 ./csharp/Platform.Data/Universal/IUniLinksRW.cs

```

1 using System;
2 using System.Collections.Generic;
3
4 // ReSharper disable TypeParameterCanBeVariant
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Universal
8 {
9     /// <remarks>
10    /// Read/Write aliases for IUniLinks.
11    /// </remarks>
12    public interface IUniLinksRW<TLinkAddress>
13    {
14        /// <summary>
15        /// <para>
16        /// Reads the part type.
17        /// </para>
18        /// <para></para>
19        /// </summary>
20        /// <param name="partType">
21        /// <para>The part type.</para>
22        /// <para></para>
23        /// </param>
24        /// <param name="link">
25        /// <para>The link.</para>
26        /// <para></para>
27        /// </param>
28        /// <returns>
29        /// <para>The link address</para>
30        /// <para></para>
31        /// </returns>
32        TLinkAddress Read(int partType, TLinkAddress link);
33        /// <summary>
34        /// <para>
35        /// Determines whether this instance read.
36        /// </para>
37        /// <para></para>
38        /// </summary>
39        /// <param name="handler">
40        /// <para>The handler.</para>
41        /// <para></para>
42        /// </param>
43        /// <param name="pattern">
44        /// <para>The pattern.</para>
45        /// <para></para>
46        /// </param>
47        /// <returns>
48        /// <para>The bool</para>
49        /// <para></para>
50        /// </returns>
51        bool Read(Func<TLinkAddress, bool> handler, IList<TLinkAddress>? pattern);
52        /// <summary>
53        /// <para>
54        /// Writes the before.
55        /// </para>
56        /// <para></para>

```

```

57     /// </summary>
58     /// <param name="before">
59     /// <para>The before.</para>
60     /// <para></para>
61     /// </param>
62     /// <param name="after">
63     /// <para>The after.</para>
64     /// <para></para>
65     /// </param>
66     /// <returns>
67     /// <para>The link address</para>
68     /// <para></para>
69     /// </returns>
70     TLinkAddress Write(IList<TLinkAddress>? before, IList<TLinkAddress>? after);
71 }
72 }

```

1.23 ./csharp/Platform.Data/WriteHandlerState.cs

```

1  using System.Collections.Generic;
2  using Platform.Delegates;
3
4  namespace Platform.Data
5  {
6      public struct WriteHandlerState<TLinkAddress>
7      {
8          private readonly EqualityComparer<TLinkAddress> _equalityComparer;
9          public TLinkAddress Result;
10         public WriteHandler<TLinkAddress>? Handler;
11         private TLinkAddress Break;
12
13         public WriteHandlerState(TLinkAddress @continue, TLinkAddress @break,
14             ↪ WriteHandler<TLinkAddress>? handler)
15         {
16             _equalityComparer = EqualityComparer<TLinkAddress>.Default;
17             Break = @break;
18             Result = @continue;
19             Handler = handler;
20         }
21
22         public void Apply(TLinkAddress result)
23         {
24             var isAlreadyBreak = _equalityComparer.Equals(Break, Result);
25             var isCurrentlyBreak = _equalityComparer.Equals(Break, result);
26             if (isAlreadyBreak || !isCurrentlyBreak)
27             {
28                 return;
29             }
30             Handler = null;
31             Result = Break;
32         }
33
34         public TLinkAddress Handle(IList<TLinkAddress> before, IList<TLinkAddress> after)
35         {
36             if (Handler != null)
37             {
38                 Apply(Handler(before, after));
39             }
40             return Result;
41         }
42     }
43 }

```

1.24 ./csharp/Platform.Data.Tests/HybridTests.cs

```

1  using Xunit;
2
3  namespace Platform.Data.Tests
4  {
5      /// <summary>
6      /// <para>
7      /// Represents the hybrid tests.
8      /// </para>
9      /// <para></para>
10     /// </summary>
11     public static class HybridTests
12     {
13         /// <summary>
14         /// <para>
15         /// Tests that object constructor test.

```



```

16     /// </para>
17     /// <para></para>
18     /// </summary>
19     [Fact]
20     public static void ObjectConstructorTest()
21     {
22         Assert.Equal(0, new Hybrid<byte>(unchecked((byte)128)).AbsoluteValue);
23         Assert.Equal(0, new Hybrid<byte>((object)128).AbsoluteValue);
24         Assert.Equal(1, new Hybrid<byte>(unchecked((byte)-1)).AbsoluteValue);
25         Assert.Equal(1, new Hybrid<byte>((object)-1).AbsoluteValue);
26         Assert.Equal(0, new Hybrid<byte>(unchecked((byte)0)).AbsoluteValue);
27         Assert.Equal(0, new Hybrid<byte>((object)0).AbsoluteValue);
28         Assert.Equal(1, new Hybrid<byte>(unchecked((byte)1)).AbsoluteValue);
29         Assert.Equal(1, new Hybrid<byte>((object)1).AbsoluteValue);
30     }
31 }
32 }

```

1.25 ./csharp/Platform.Data.Tests/LinksConstantsTests.cs

```

1  using Xunit;
2  using Platform.Reflection;
3  using Platform.Converters;
4  using Platform.Numbers;
5
6  namespace Platform.Data.Tests
7  {
8      /// <summary>
9      /// <para>
10     /// Represents the links constants tests.
11     /// </para>
12     /// <para></para>
13     /// </summary>
14     public static class LinksConstantsTests
15     {
16         /// <summary>
17         /// <para>
18         /// Tests that constructor test.
19         /// </para>
20         /// <para></para>
21         /// </summary>
22         [Fact]
23         public static void ConstructorTest()
24         {
25             var constants = new LinksConstants<ulong>(enableExternalReferencesSupport: true);
26             Assert.Equal(Hybrid<ulong>.ExternalZero,
27                 ↪ constants.ExternalReferencesRange.Value.Minimum);
28             Assert.Equal(ulong.MaxValue, constants.ExternalReferencesRange.Value.Maximum);
29         }
30
31         /// <summary>
32         /// <para>
33         /// Tests that external references test.
34         /// </para>
35         /// <para></para>
36         /// </summary>
37         [Fact]
38         public static void ExternalReferencesTest()
39         {
40             TestExternalReferences<ulong, long>();
41             TestExternalReferences<uint, int>();
42             TestExternalReferences<ushort, short>();
43             TestExternalReferences<byte, sbyte>();
44         }
45
46         private static void TestExternalReferences<TUnsigned, TSigned>()
47         {
48             var unsingedOne = Arithmetic.Increment(default(TUnsigned));
49             var converter = UncheckedConverter<TSigned, TUnsigned>.Default;
50             var half = converter.Convert(NumericType<TSigned>.MaxValue);
51             LinksConstants<TUnsigned> constants = new LinksConstants<TUnsigned>((unsingedOne,
52                 ↪ half), (Arithmetic.Add(half, unsingedOne), NumericType<TUnsigned>.MaxValue));
53
54             var minimum = new Hybrid<TUnsigned>(default, isExternal: true);
55             var maximum = new Hybrid<TUnsigned>(half, isExternal: true);
56
57             Assert.True(constants.IsExternalReference(minimum));
58             Assert.True(minimum.IsExternal);
59             Assert.False(minimum.IsInternal);
60             Assert.True(constants.IsExternalReference(maximum));

```

```
58         Assert.True(maximum.IsExternal);
59         Assert.False(maximum.IsInternal);
60     }
61 }
62 }
```

Index

- ./csharp/Platform.Data.Tests/HybridTests.cs, 40
- ./csharp/Platform.Data.Tests/LinksConstantsTests.cs, 41
- ./csharp/Platform.Data/Exceptions/ArgumentLinkDoesNotExistsException.cs, 1
- ./csharp/Platform.Data/Exceptions/ArgumentLinkHasDependenciesException.cs, 2
- ./csharp/Platform.Data/Exceptions/LinkWithSameValueAlreadyExistsException.cs, 3
- ./csharp/Platform.Data/Exceptions/LinksLimitReachedException.cs, 4
- ./csharp/Platform.Data/Exceptions/LinksLimitReachedExceptionBase.cs, 5
- ./csharp/Platform.Data/Hybrid.cs, 6
- ./csharp/Platform.Data/ILinks.cs, 11
- ./csharp/Platform.Data/ILinksExtensions.cs, 13
- ./csharp/Platform.Data/ISynchronizedLinks.cs, 16
- ./csharp/Platform.Data/LinkAddress.cs, 17
- ./csharp/Platform.Data/LinksConstants.cs, 21
- ./csharp/Platform.Data/LinksConstantsBase.cs, 25
- ./csharp/Platform.Data/LinksConstantsExtensions.cs, 26
- ./csharp/Platform.Data/Numbers/Raw/AddressToRawNumberConverter.cs, 27
- ./csharp/Platform.Data/Numbers/Raw/RawNumberToAddressConverter.cs, 27
- ./csharp/Platform.Data/Point.cs, 28
- ./csharp/Platform.Data/Universal/IUniLinks.cs, 34
- ./csharp/Platform.Data/Universal/IUniLinksCRUD.cs, 35
- ./csharp/Platform.Data/Universal/IUniLinksGS.cs, 37
- ./csharp/Platform.Data/Universal/IUniLinksIO.cs, 38
- ./csharp/Platform.Data/Universal/IUniLinksIOWithExtensions.cs, 38
- ./csharp/Platform.Data/Universal/IUniLinksRW.cs, 39
- ./csharp/Platform.Data/WriteHandlerState.cs, 40